

本書の読み方

A コンフィグレーション

本サーバにおけるハードウェアの構成と各種セットアップの設定値記録しています。

B 障害連絡シート

障害が発生した場合にサーバの状態を記入しています。

製品の呼び方

本文中の製品名称を、次のように略して表記します。

製品名称	本文中の表記
PRIMERGY TX200FT	TX200FT、または本サーバ

■ 商標

Microsoft、Windows、MS、Windows Server は、米国 Microsoft Corporation の米国およびその他の国における登録商標または商標です。

インテル、Intel、Pentium は、アメリカ合衆国およびその他の国における Intel Corporation またはその子会社の商標または登録商標です。

その他の各製品名は、各社の商標、または登録商標です。

その他の各製品は、各社の著作物です。

All Rights Reserved, Copyright© FUJITSU LIMITED 2004

目 次

A コンフィグレーションシート

A.1 ハードウェア構成	3
A.2 BIOS セットアップ項目	5
A.3 SCSI Select ユーティリティ	11
A.4 システム資源管理表	15
A.5 RAID 設計シート	16

B 障害連絡シート

A コンフィグレーションシート

本サーバにおけるハードウェアの構成と各種セットアップの設定値を記録しておきます。

選択設定箇所については□マークのチェックボックスを用意してありますので、設定したチェックボックスを塗りつぶすか、またレ印を付けておきます。

なお、ご購入時の初期値は◎で示しています。また、変更禁止の設定項目については■で示しています。

A.1 ハードウェア構成

■ 5 インチ内蔵オプション

搭載位置	搭載5インチ内蔵オプション(型名)	SCSI ID
ベイ1	■内蔵CD-ROMドライブユニット (全モデル標準搭載)	—
ベイ2、3 (TX200FT1)	□内蔵DAT72ユニット (PG-DT501)	□4 □5 □6
	□内蔵DDS4ユニット (PG-DT401)	□4 □5 □6
	□内蔵DDS4オートローダ (PG-DTA102)	□5
	□内蔵LTOユニット (PG-LT101)	□4 □5 □6
ベイ2、3 (TX200FT2)	□内蔵光磁気ディスクユニット (PG-PD240/PG-PD240B)	□4 □5 □6

ベイ1にはCD-ROMドライブ、ベイ4にはフロッピーディスクドライブが標準搭載されています。

■ 3.5 インチ内蔵オプション

搭載位置	搭載3.5インチ内蔵オプション		
回転数	10,000rpm		
ベイ6	□36.4GB	□73.4GB	□146.8GB
ベイ5	□36.4GB	□73.4GB	□146.8GB
ベイ4	□36.4GB	□73.4GB	□146.8GB
ベイ3	□36.4GB	□73.4GB	□146.8GB
ベイ2	□36.4GB	□73.4GB	□146.8GB
ベイ1	□36.4GB	□73.4GB	□146.8GB

■ メモリ

搭載スロット位置	搭載メモリ		
メモリスロット0A	◎256MB	—	—
メモリスロット0B	◎256MB	—	—
メモリスロット1A	□256MB	□512MB	□1GB
メモリスロット1B	□256MB	□512MB	□1GB
メモリスロット2A	□256MB	□512MB	□1GB
メモリスロット2B	□256MB	□512MB	□1GB

*) 全モデルに256MBをメモリスロット0Aおよびメモリスロット0Bに実装済み。

■ CPU

搭載CPU(1個)	搭載個数
□XeonE プロセッサ 2.4GHz / 512KB	■2個
□XeonE プロセッサ3.06GHz / 512KB	
□XeonE プロセッサ3.2GHz / 1MB	

■ 拡張カード

拡張カード(型名)	PCIスロット				
	1	2	3	4	5
SCSIアレイコントローラカード(PG-142E)	—	—	■	—	—
SCSIカード(PG-128)	—	—	—	□	—
LANカード(PG-1891)	■	■	—	□	—
LANカード(PG-1881)	—	—	—	□	—
LANカード(PG-1851)	—	—	—	□	■
LANカード(PG-1861)	—	—	—	□	—

—: 搭載不可を示す

A.2 BIOS セットアップ項目

各設定値の記号は、次の意味を示します。

□：設定項目 ◎：ご購入時設定値 ■変更禁止

■ Main メニューの設定項目

設定項目	設定値
System Time	現在の時間
System Date	現在の日付
Diskette A	<input type="checkbox"/> None <input type="checkbox"/> 360K <input type="checkbox"/> 1.2M <input type="checkbox"/> 720K <input checked="" type="checkbox"/> 1.4M
IDE Drive 1	
Type	<input checked="" type="checkbox"/> Auto <input type="checkbox"/> None <input type="checkbox"/> CD-ROM <input type="checkbox"/> Diskette 120M/ZIP <input type="checkbox"/> Other ATAPI <input type="checkbox"/> USER
Transfer Mode	<input checked="" type="checkbox"/> Disabled
LBA Translation	<input checked="" type="checkbox"/> Disabled
LBA Translation Mode	<input checked="" type="checkbox"/> LBA <input type="checkbox"/> PTL <input type="checkbox"/> CHS
PIO Mode	<input checked="" type="checkbox"/> Standard
32Bit I/O	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
IDE Drive 2	
Type	<input checked="" type="checkbox"/> Auto <input type="checkbox"/> None <input type="checkbox"/> CD-ROM <input type="checkbox"/> Diskette 120M/ZIP <input type="checkbox"/> Other ATAPI <input type="checkbox"/> USER
Transfer Mode	<input checked="" type="checkbox"/> Disabled
LBA Translation	<input checked="" type="checkbox"/> Disabled
LBA Translation Mode	<input checked="" type="checkbox"/> LBA <input type="checkbox"/> PTL <input type="checkbox"/> CHS
PIO Mode	<input checked="" type="checkbox"/> Standard
32Bit I/O	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
IDE Drive 3	
Type	<input checked="" type="checkbox"/> Auto <input type="checkbox"/> None <input type="checkbox"/> CD-ROM <input type="checkbox"/> Diskette 120M/ZIP <input type="checkbox"/> Other ATAPI <input type="checkbox"/> USER
Transfer Mode	<input checked="" type="checkbox"/> Disabled
LBA Translation	<input checked="" type="checkbox"/> Disabled
LBA Translation Mode	<input checked="" type="checkbox"/> LBA <input type="checkbox"/> PTL <input type="checkbox"/> CHS
PIO Mode	<input checked="" type="checkbox"/> PIO4/UDMA33
32Bit I/O	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
IDE Drive 4	
Type	<input checked="" type="checkbox"/> Auto <input type="checkbox"/> None <input type="checkbox"/> CD-ROM <input type="checkbox"/> Diskette 120M/ZIP <input type="checkbox"/> Other ATAPI <input type="checkbox"/> USER
Transfer Mode	<input checked="" type="checkbox"/> Disabled
LBA Translation	<input checked="" type="checkbox"/> Disabled
LBA Translation Mode	<input checked="" type="checkbox"/> LBA <input type="checkbox"/> PTL <input type="checkbox"/> CHS
PIO Mode	<input checked="" type="checkbox"/> Standard
32Bit I/O	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled

(続く)

設定項目	設定値
Boot Options	
POST Errors	<input type="checkbox"/> No Halt On Any Errors <input checked="" type="checkbox"/> Halt On All Errors
Keyboard Check	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
SM Error Halt	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled
Fast Boot	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled
Quiet Boot	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled
Boot Menu	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
Boot Sequence	<input type="checkbox"/> CD-ROM Drive <input type="checkbox"/> Diskette <input type="checkbox"/> Hard Drive <input type="checkbox"/> Legacy LAN Card
MultiBoot for HDs	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled
Base Memory	1MB 以下の使用可能なベースメモリを表示
Extended Memory	1MB 以上のメモリサイズを表示

■ Advanced メニューの設定項目

設定項目	設定値
Peripheral Configuration	
Serial 1	<input type="checkbox"/> Disabled <input type="checkbox"/> Enabled <input checked="" type="checkbox"/> Auto <input type="checkbox"/> OS Controlled
Serial Multiplexer	<input checked="" type="checkbox"/> System <input type="checkbox"/> BMC <input type="checkbox"/> Shared
Serial 2	<input type="checkbox"/> Disabled <input type="checkbox"/> Enabled <input checked="" type="checkbox"/> Auto <input type="checkbox"/> OS Controlled
Parallel	<input type="checkbox"/> Disabled <input type="checkbox"/> Enabled <input checked="" type="checkbox"/> Auto <input type="checkbox"/> OS Controlled
Parallel Mode	<input type="checkbox"/> Printer <input checked="" type="checkbox"/> Bidirection <input type="checkbox"/> EPP <input type="checkbox"/> ECP
Diskette Controller	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
Floppy Type	<input checked="" type="checkbox"/> Local <input type="checkbox"/> Remote <input type="checkbox"/> Remote Once
Hard Disk Controller	<input type="checkbox"/> Disabled <input type="checkbox"/> Primary <input checked="" type="checkbox"/> Primary And Secondary
Mouse Controller	<input type="checkbox"/> Disabled <input type="checkbox"/> Enabled <input checked="" type="checkbox"/> Auto Detect
SCSI Controller Ch. A	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
SCSI Controller Ch. B	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
SCSI Option ROM Scan	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
LAN Controller	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Channel A
LAN Remote Boot Ch. A	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> PXE

(続く)

設定項目	設定値
PCI IRQ Configuration	
PCI SLOTS Configuration	
PCI Slot 1 Configuration Option ROM Scan	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
PCI Slot 2 Configuration Option ROM Scan	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
PCI Slot 3 Configuration Option ROM Scan	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
PCI Slot 4 Configuration Option ROM Scan	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
PCI Slot 5 Configuration Option ROM Scan	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
PCI Slot 7 Configuration Option ROM Scan	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
PCI Slot 8 Configuration Option ROM Scan	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
PCI Slot 9 Configuration Option ROM Scan	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
PCI IRQ Configuration	
PCI IRQ Line 0	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 1	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 2	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 3	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 4	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 5	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 6	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 7	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 8	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 9	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 10	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 11	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 12	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 13	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 14	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15
PCI IRQ Line 15	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Auto <input type="checkbox"/> IRQ 3 <input type="checkbox"/> IRQ 4 <input type="checkbox"/> IRQ 5 <input type="checkbox"/> IRQ 6 <input type="checkbox"/> IRQ 7 <input type="checkbox"/> IRQ 9 <input type="checkbox"/> IRQ 10 <input type="checkbox"/> IRQ 11 <input type="checkbox"/> IRQ 12 <input type="checkbox"/> IRQ 14 <input type="checkbox"/> IRQ 15

(続く)

設定項目	設定値
Advanced System Configuration	
APIC	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
PCI Bus Parity Checking	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
ECC Memory Checking	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
Hot Spare Memory Feature	<input checked="" type="radio"/> Disabled <input type="radio"/> Enabled
Memory Clocks	<input checked="" type="checkbox"/> Unused on <input type="checkbox"/> Unused off
Remap PCI Memory Gap	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled
CPU Mismatch Detection	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
CPU Clock Throttling Delay	<input checked="" type="checkbox"/> None <input type="checkbox"/> 1min <input type="checkbox"/> 5min <input type="checkbox"/> 10min <input type="checkbox"/> 20min <input type="checkbox"/> 30min <input type="checkbox"/> 60min
CPU Timeout Counter	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled
CPU Frequency	<input checked="" type="checkbox"/> Auto <input type="checkbox"/> 1600MHz~ <input type="checkbox"/> 3200MHz()
Hyper-Threading	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
USB Host Controller	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
USB BIOS Legacy Support	<input checked="" type="radio"/> Disabled <input type="radio"/> Enabled
BIOS Work Space Location	<input type="checkbox"/> Expansion ROM Area <input checked="" type="checkbox"/> Top of Base Memory
Power On/Off	
Power Off Source	
Software	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
Power Button	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
Power On Source	
Remote	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
LAN	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
Timer	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
LAN Wakeup Mode	
Monitor	<input type="checkbox"/> Off <input checked="" type="radio"/> On
Power Failure Recovery	<input type="checkbox"/> Always Off <input type="checkbox"/> Always On <input checked="" type="radio"/> Previous State
IPMI	
SEL Load	
Clear Event Log	<input checked="" type="radio"/> Disabled <input type="radio"/> Enabled
Event Log Full Mode	<input checked="" type="radio"/> Overwrite <input type="radio"/> Maintain
BMC Time Sync	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
System Event Log	ログを表示
SDRR Browser	センサの情報を表示
LAN Settings	
DHCP	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled
Local IP address	[]
Subnet mask	[]
Gateway address	[]
USER ID 1 Password	[]
Reset Configuration Data	<input type="checkbox"/> Yes <input checked="" type="radio"/> No
Lock Setup Configuration	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Large Disk Access Mode	<input type="checkbox"/> Other <input checked="" type="radio"/> DOS
ATAPI UDMA Auto Detect	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Standard
Multiprocessor Specification	<input type="checkbox"/> 1.1 <input checked="" type="radio"/> 1.4

■ Security メニューの設定項目

設定項目	設定値
Setup Password	<input type="checkbox"/> Installed <input checked="" type="radio"/> Not Installed
System Password	<input type="checkbox"/> Installed <input checked="" type="radio"/> Not Installed
Set Setup Password	セットアップパスワードを設定
Setup Password Lock	<input checked="" type="radio"/> Standard <input type="checkbox"/> Extended
Set System Password	システムパスワードを設定
System Password Mode	<input checked="" type="radio"/> System <input type="checkbox"/> Keyboard
System Load	<input checked="" type="radio"/> Standard <input type="checkbox"/> Diskette/CDROM Lock
Setup Prompt	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
Virus Warning	<input checked="" type="radio"/> Disabled <input type="checkbox"/> Enabled <input type="checkbox"/> Confirm
Diskette Write	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled
Flash Write	<input type="checkbox"/> Disabled <input checked="" type="radio"/> Enabled

■ Server メニューの設定項目

設定項目	設定値
O/S Boot Timeout	<input checked="" type="radio"/> Disabled <input type="checkbox"/> Enabled
Action	<input type="checkbox"/> Continue <input checked="" type="radio"/> Reset <input type="checkbox"/> Power Cycle
Timeout Value	<input checked="" type="radio"/> 0 <input type="checkbox"/> 1 ~ <input type="checkbox"/> 100 ()
ASR&R Boot Delay	<input checked="" type="radio"/> 2 <input type="checkbox"/> 1 ~ <input type="checkbox"/> 30 ()
Power Cycle Delay	<input checked="" type="radio"/> 5 <input type="checkbox"/> 1 ~ <input type="checkbox"/> 15 ()
Boot Retry Counter	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input checked="" type="radio"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7
Diagnostic System	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled <input type="checkbox"/> Disk Not Installed
Temperature Monitoring	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled
Memory Scrubbing	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
CPU Status	
CPU 0 Status	<input checked="" type="radio"/> Enabled <input type="checkbox"/> Disabled <input type="checkbox"/> Failed
CPU 1 Status	<input checked="" type="radio"/> Enabled <input type="checkbox"/> Disabled <input type="checkbox"/> Failed
Memory Status	
Memory Module 0A	<input checked="" type="radio"/> Enabled <input type="checkbox"/> Disabled <input type="checkbox"/> Failed
Memory Module 0B	<input checked="" type="radio"/> Enabled <input type="checkbox"/> Disabled <input type="checkbox"/> Failed
Memory Module 1A	<input checked="" type="radio"/> Enabled <input type="checkbox"/> Disabled <input type="checkbox"/> Failed
Memory Module 1B	<input checked="" type="radio"/> Enabled <input type="checkbox"/> Disabled <input type="checkbox"/> Failed
Memory Module 2A	<input checked="" type="radio"/> Enabled <input type="checkbox"/> Disabled <input type="checkbox"/> Failed
Memory Module 2B	<input checked="" type="radio"/> Enabled <input type="checkbox"/> Disabled <input type="checkbox"/> Failed
Console Redirection	
Console Redirection	<input checked="" type="radio"/> Disabled <input type="checkbox"/> Enabled
Port	<input checked="" type="radio"/> Serial 1 <input type="checkbox"/> Serial 2
Media Type	<input checked="" type="radio"/> Serial <input type="checkbox"/> LAN <input type="checkbox"/> Serial + LAN
Baud Rate	<input type="checkbox"/> 1200 <input type="checkbox"/> 2400 <input type="checkbox"/> 4800 <input checked="" type="radio"/> 9600 <input type="checkbox"/> 19.2K <input type="checkbox"/> 38.4K <input type="checkbox"/> 57.6K <input type="checkbox"/> 115.2K
Protocol	<input checked="" type="radio"/> VT100 <input type="checkbox"/> VT100,8bit <input type="checkbox"/> PC-ANSI,7bit <input type="checkbox"/> PC-ANSI <input type="checkbox"/> VT100+
Flow Control	<input type="checkbox"/> None <input type="checkbox"/> XON/XOFF <input checked="" type="radio"/> CTS/RTS
Mode	<input type="checkbox"/> Standard <input checked="" type="radio"/> Enhanced

(続く)

設定項目	設定値
Rom Pilot	
RomPilot Support	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled
Reset on lost connection	<input type="checkbox"/> Disabled <input checked="" type="checkbox"/> Enabled
Connect Timeout	<input checked="" type="checkbox"/> Low <input type="checkbox"/> Medium <input type="checkbox"/> High
NIC Slot No.	スロットナンバーを表示
Server Name	[]
Local IP address	[]
Subnet mask	[]
Gateway address	[]
Front End 0 Mode	[]
Front End 0 IP	[]
Front End 1 Mode	[]
Front End 1 IP	[]
Front End 2 Mode	<input checked="" type="checkbox"/> Disabled <input type="checkbox"/> Enabled
Front End 2 IP	[]

A.3 SCSI Select ユーティリティ

各設定値の記号は、次の意味を示します。

□：設定項目 ◎：ご購入時設定値 ■変更禁止

■ Configure/View SCSI Controller Settings メニュー

設定項目	設定値
SCSI Bus Interface Definitions	
SCSI Controller ID	<input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input checked="" type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15
SCSI Controller Parity	<input checked="" type="checkbox"/> Enabled <input type="checkbox"/> Disabled
SCSI Controller Termination	<input checked="" type="checkbox"/> Enabled <input type="checkbox"/> Disabled

■ Boot Device configuration

設定項目	設定値	
	オンボードSCSI Ach	オンボードSCSI Bch
Master SCSI Controller	ホストコントローラを表示	
Boot SCSI Controller	OSのブートを試みるハードディスクのSCSIコントローラを表示	
Boot SCSI ID	◎0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15	◎0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15
Boot LUN Number	◎0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7	◎0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7

■ SCSI Device Configuration [オンボード SCSI Ach]

設定項目	設定値			
SCSI Device ID	#0	#1	#2	#3
Sync Transfer Rate (MB/Sec)	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN
Packetized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
QAS	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Initiate Wide Negotiation	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Enable Disconnection	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Send Start Unit Command	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
BIOS Multiple LUN Support	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Include in BIOS Scan	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No
SCSI Device ID	#4	#5	#6	#7
Sync Transfer Rate (MB/Sec)	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN
Packetized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
QAS	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Initiate Wide Negotiation	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Enable Disconnection	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Send Start Unit Command	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
BIOS Multiple LUN Support	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Include in BIOS Scan	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No
SCSI Device ID	#8	#9	#10	#11
Sync Transfer Rate (MB/Sec)	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN
Packetized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
QAS	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Initiate Wide Negotiation	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Enable Disconnection	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Send Start Unit Command	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
BIOS Multiple LUN Support	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Include in BIOS Scan	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No
SCSI Device ID	#12	#13	#14	#15
Sync Transfer Rate (MB/Sec)	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="radio"/> 80.0 <input type="radio"/> 66.6 <input type="radio"/> 40.0 <input type="radio"/> 33.3 <input type="radio"/> 20.0 <input type="radio"/> 10.0 <input type="checkbox"/> ASYN
Packetized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
QAS	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Initiate Wide Negotiation	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Enable Disconnection	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Send Start Unit Command	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
BIOS Multiple LUN Support	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Include in BIOS Scan	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No	<input checked="" type="radio"/> Yes <input type="checkbox"/> No

■ SCSI Device Configuration [オンボード SCSI Bch]

設定項目	設定値			
SCSI Device ID	#0	#1	#2	#3
Sync Transfer Rate (MB/Sec)	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN
Packetized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
QAS	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Initiate Wide Negotiation	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Enable Disconnection	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Send Start Unit Command	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
BIOS Multiple LUN Support	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Include in BIOS Scan	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No
SCSI Device ID	#4	#5	#6	#7
Sync Transfer Rate (MB/Sec)	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN
Packetized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
QAS	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Initiate Wide Negotiation	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Enable Disconnection	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Send Start Unit Command	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
BIOS Multiple LUN Support	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Include in BIOS Scan	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No
SCSI Device ID	#8	#9	#10	#11
Sync Transfer Rate (MB/Sec)	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN
Packetized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
QAS	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Initiate Wide Negotiation	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Enable Disconnection	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Send Start Unit Command	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
BIOS Multiple LUN Support	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Include in BIOS Scan	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No
SCSI Device ID	#12	#13	#14	#15
Sync Transfer Rate (MB/Sec)	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN	<input checked="" type="radio"/> 320 <input type="radio"/> 160 <input type="checkbox"/> 80.0 <input type="checkbox"/> 66.6 <input type="checkbox"/> 40.0 <input type="checkbox"/> 33.3 <input type="checkbox"/> 20.0 <input type="checkbox"/> 10.0 <input type="checkbox"/> ASYN
Packetized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
QAS	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Initiate Wide Negotiation	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Enable Disconnection	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Send Start Unit Command	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
BIOS Multiple LUN Support	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Include in BIOS Scan	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No	<input checked="" type="radio"/> Yes <input type="radio"/> No

■ Advanced Configuration

設定項目	設定値	
	オンボードSCSI Ach	オンボードSCSI Bch
Reset SCSI Bus at IC Initialization	<input checked="" type="radio"/> Enabled <input type="checkbox"/> Disabled	<input checked="" type="radio"/> Enabled <input type="checkbox"/> Disabled
Display <Ctrl><A> Message During BIOS Initialization	<input checked="" type="checkbox"/> Enabled <input type="checkbox"/> Disabled	<input checked="" type="checkbox"/> Enabled <input type="checkbox"/> Disabled
Extended Int 13 Translation for DOS Drives > 1GByte	<input checked="" type="checkbox"/> Enabled <input type="checkbox"/> Disabled	<input checked="" type="checkbox"/> Enabled <input type="checkbox"/> Disabled
POST Display Mode	<input checked="" type="radio"/> Verbose <input type="checkbox"/> Silent <input type="checkbox"/> Diagnostic	<input checked="" type="radio"/> Verbose <input type="checkbox"/> Silent <input type="checkbox"/> Diagnostic
SCSI Controller Int 13 Support	<input checked="" type="checkbox"/> Enabled <input type="checkbox"/> Disabled:Not Scan <input type="checkbox"/> Disabled:Scan bus	<input checked="" type="checkbox"/> Enabled <input type="checkbox"/> Disabled:Not Scan <input type="checkbox"/> Disabled:Scan bus
Domain Validation	<input checked="" type="checkbox"/> Enabled <input type="checkbox"/> Disabled	<input checked="" type="checkbox"/> Enabled <input type="checkbox"/> Disabled
Support Removable Disks Under Int 13 as Fixed Disks	<input checked="" type="radio"/> Disabled <input type="checkbox"/> Boot Only <input type="checkbox"/> All Disks	<input checked="" type="radio"/> Disabled <input type="checkbox"/> Boot Only <input type="checkbox"/> All Disks

A.4 システム資源管理表

各種拡張カードで選択できる I/O ポートアドレスは、以下の表のとおりです。

■ I/O ポートアドレス

品名	I/Oポートアドレス (h)																設定方法
	100	140	180	1C0	200	240	280	2C0	300	340	380	3C0	400				
シリアルポート1																	BIOSセットアップ
シリアルポート2																	BIOSセットアップ
パラレルポート																	BIOSセットアップ

備考：シリアルポートは、4ポートの中から最高2ポートまで選択できます。

- * □ □ は、それぞれの拡張カードで選択できる I/O ポートアドレス空間を示します。
- はそのマークが重なる目盛のアドレスから16バイトまたは16バイト内の一部の空間を使用します。
(■ はデフォルトで選択されている空間)
 - はそのマークが重なる目盛のアドレスから32バイトまたは32バイト内の一部の空間を使用します。
(■ はデフォルトで選択されている空間)

A.5 RAID 設計シート

(搭載 PCI スロット)

■ ロジカルドライブ情報

論理ドライブ ^(*)	RAID レベル	容量	物理ドライブ
(例)LD 0	5	22000 MB	(CH=0) ID= ①, ②, ③, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 (CH=1) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
(例)LD 1	5	47714 MB	(CH=0) ID= ①, ②, ③, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 (CH=1) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
	5		(CH=0) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 (CH=1) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
	5		(CH=0) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 (CH=1) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
	5		(CH=0) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 (CH=1) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
	5		(CH=0) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 (CH=1) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
	5		(CH=0) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 (CH=1) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
	5		(CH=0) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 (CH=1) ID= 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15

^(*)ホットスペアの場合は「HS」のように記述します。

■ システムパックの定義

搭載HDDベイ	SCSI-CH	SCSI-ID	型名	容量	バージョン	論理ドライブ ^(*)
(例)Bay(1)	CH= (0)	ID= (0)	MAP3367NC	34700MB	5207	LD0 / LD1
(例)Bay(2)	CH= (0)	ID= (0)	MAP3367NC	34700MB	5207	LD0 / LD1
(例)Bay(3)	CH= (0)	ID= (0)	MAP3367NC	34700MB	5207	LD0 / LD1
Bay()	CH= ()	ID= ()				LD0 / LD1
Bay()	CH= ()	ID= ()				LD0 / LD1
Bay()	CH= ()	ID= ()				LD0 / LD1
Bay()	CH= ()	ID= ()				LD0 / LD1
Bay()	CH= ()	ID= ()				LD0 / LD1
Bay()	CH= ()	ID= ()				LD0 / LD1
Bay()	CH= ()	ID= ()				LD0 / LD1
Bay()	CH= ()	ID= ()				LD0 / LD1
Bay()	CH= ()	ID= ()				LD0 / LD1

^(*)ホットスペアの場合は「HS」のように記述します。

B 障害連絡シート

モデル名・型名	<input type="checkbox"/> TX200FT (PG)		
OS			
設置環境			
LAN・WAN環境			
発生日時			
現象	何をしているときに何が起きたか。 画面にどのようなメッセージが表示されたか。		
		添付資料	有・無

PRIMERGY TX200FT

環境設定シート
B7FH-2661-01 Z0-00

発行日 2004 年 7 月
発行責任 富士通株式会社

- 本書の内容は、改善のため事前連絡なしに変更することがあります。
- 本書に記載されたデータの使用に起因する、第三者の特許権およびその他の権利の侵害については、当社はその責を負いません。
- 無断転載を禁じます。