



環境設定シート

本書の構成

- A ハードウェア構成シート**
本サーバにおけるハードウェアの構成を記録しておきます。
- B 障害連絡シート**
障害が発生した場合にサーバの状態を記入しておくシートです。

■製品の呼び方

本文中の製品名称を、次のように略して表記します。

製品名称	本文中の表記	
PRIMERGY BX400	本サーバ、またはサーバ (ブレードサーバ全体を指します)	
PRIMERGY BX400 S1 シャーシ	シャーシ、またはシステムユニット	
PRIMERGY BX920 S2 サーバブレード	サーバブレード	
PRIMERGY BX922 S2 サーバブレード		
PRIMERGY BX924 S2 サーバブレード		
PRIMERGY BX920 S3 サーバブレード		
PRIMERGY BX924 S3 サーバブレード		
PRIMERGY BX920 S4 サーバブレード		
PRIMERGY BX924 S4 サーバブレード		
PRIMERGY BX2560 M1 サーバブレード		
PRIMERGY BX2580 M1 サーバブレード		
PRIMERGY BX2560 M2 サーバブレード		
PRIMERGY BX2580 M2 サーバブレード		
PRIMERGY SX910 S1 ストレージブレード	ストレージブレード	
PRIMERGY SX940 S1 ストレージブレード		
PRIMERGY SX960 S1 ストレージブレード		
PRIMERGY SX980 S1 ストレージブレード		
PRIMERGY SX980 S2 ストレージブレード		
PRIMERGY スイッチブレード (1Gbps 36/8+2)		
PRIMERGY スイッチブレード (1Gbps 36/12)		
PRIMERGY スイッチブレード (1Gbps 18/6)		
PRIMERGY スイッチブレード (10Gbps 18/8)		
PRIMERGY LAN パススルーブレード (10Gbps 18/18)		
PRIMERGY コンバージドスイッチブレード(10Gbps 18/6+6)[VDX 2730]		
PRIMERGY コンバージドスイッチブレード(10Gbps 18/6+6)[VDX 2730] &FCoEライセンス&VCSライセンス		
Cisco Nexus B22 Blade Fabric Extender		
Cisco Nexus B22 Blade Fabric Extender& 16 FET モジュール		
PRIMERGYコンバージドファブリックスイッチブレード(10Gbps 18/8+2)		
PRIMERGY スイッチブレード(10Gbps 18/8+2)	コネクションブレード	
PRIMERGY ファイバーチャネルスイッチブレード (8Gbps 18/8)		
PRIMERGY FCスイッチブレード(8Gbps 18/8)		
PRIMERGY FCスイッチブレード(8Gbps 18/8)&FCポートアップグレード		
PRIMERGY FCスイッチブレード(8Gbps 18/8)&FCポートアップグレード &拡張ライセンスオプション		
PRIMERGY ファイバーチャネルパススルーブレード (8Gbps 18/18)		
PRIMERGY FCスイッチブレード(16Gbps 18/8)		
PRIMERGY FCスイッチブレード(16Gbps 18/8)&FCポートアップグレード		
PRIMERGY FCスイッチブレード(16Gbps 18/8)&FCポートアップグレード &拡張ライセンスオプション		
PRIMERGY SAS スイッチブレード (6Gbps 18/6)		
PRIMERGY InfiniBand スイッチブレード (40Gbps 18/18)	InfiniBand コネクションブレード	
PRIMERGY BX400 マネジメントブレード	マネジメントブレード	
PRIMERGY マネジメントブレード		

■ マネジメントブレードのファームウェアについて

本書はファームウェア V6.91に準拠して記述してあります。

■ 商標

その他の各製品名は、各社の商標、または登録商標です。

その他の各製品は、各社の著作物です。

Copyright 2010 - 2019 FUJITSU LIMITED

A ハードウェア構成シート

本サーバにおけるハードウェアの構成を記録しておきます。
 選択構成箇所については、選択した構成の()内に を付けておきます。
 []には具体的な設定内容を記載します。

A.1 ハードウェア構成

■ サーバブレード/ストレージブレード

スロット番号	サーバブレード/ストレージブレード(型名)
1	(<input type="checkbox"/>) []
2	(<input type="checkbox"/>) []
3	(<input type="checkbox"/>) []
4	(<input type="checkbox"/>) []
5	(<input type="checkbox"/>) []
6	(<input type="checkbox"/>) []
7	(<input type="checkbox"/>) []
8	(<input type="checkbox"/>) []

■ コネクションブレード

コネクションブレード	搭載位置			
	Fabric1	Fabric2	Fabric3	
	CB1	CB2	CB3	CB4
スイッチブレード (1Gbps 36/8+2)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
スイッチブレード (1Gbps 36/12)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
スイッチブレード (1Gbps 18/6)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
スイッチブレード (10Gbps 18/8)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
LANパススルーブレード (10Gbps 18/18)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
コンバードスイッチブレード(10Gbps 18/6+6)[VDX 2730]	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
コンバードスイッチブレード(10Gbps 18/6+6)[VDX 2730] &FCoEライセンス&VCSライセンス	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
Cisco Nexus B22 Blade Fabric Extender	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
Cisco Nexus B22 Blade Fabric Extender& 16 FET モジュール	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
コンバードファブリックスイッチブレード(10Gbps 18/8+2)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
スイッチブレード(10Gbps 18/8+2)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
ファイバーチャネルスイッチブレード (8Gbps 18/8)	-	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
FCスイッチブレード(8Gbps 18/8)	-	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
FCスイッチブレード(8Gbps 18/8)&FCポートアップグレード	-	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
FCスイッチブレード(8Gbps 18/8)&FCポートアップグレード &拡張ライセンスオプション	-	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
ファイバーチャネルパススルーブレード (8Gbps 18/18)	-	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
FCスイッチブレード(16Gbps 18/8)	-	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
FCスイッチブレード(16Gbps 18/8)&FCポートアップグレード	-	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
FCスイッチブレード(16Gbps 18/8)&FCポートアップグレード &拡張ライセンスオプション	-	(<input type="checkbox"/>)	(<input type="checkbox"/>)	(<input type="checkbox"/>)
SAS スwitchブレード (6Gbps 18/6)	-	-	(<input type="checkbox"/>)	(<input type="checkbox"/>)
InfiniBand スwitchブレード (40Gbps 18/18)	-	-	(<input type="checkbox"/>)	

■ 電源/FANユニット

電源/FANユニット	搭載位置			
	スロット1	スロット2	スロット3	スロット4
電源ユニット	標準搭載	()	()	()
内蔵FANユニット	-	()	()	()
	()	()	()	()

■ ODD

DVD-RAM/Blu-ray	搭載
内蔵DVD-RAMユニット	()
Blu-ray Combo ドライブユニット	()
	()

■ マネジメントブレード

マネジメントブレード	搭載位置	
	スロット1	スロット2
PRIMERGY マネジメントブレード	標準搭載	()
	()	()

A.2 マネジメントブレードの設定

マネジメントブレードにおける各種設定を記録しておきます。
 選択構成箇所については、選択した設定値の()内に を付けておきます。
 [] については 具体的な設定内容を記載してください。
 各メニューの詳細なマークは、次を示します。
 (): 設定項目
 [] : 具体的な設定内容を記載

■ System Unit

設定項目	設定値
System Information	
System Name	[]
System Location	[]
System Contact	[]
Asset Tag	[]
Rack Name	[]
Unique Rack ID	[]
Management Blade Mismatch Detection	()manual ()automatic
Update All Connection Blade Names On Changing System Name Or Rack Name	()disable ()enable
All Fans Have Failed	
Reaction after all fans have failed or are unavailable	()continue ()shutdown-and-power off
Fan Test	
Daily Test Time	[] HH:MM
Test at every startup	()disable ()enable
Temperature Sensor Control	
Critical Temperature Reaction	
Housing Left	()continue ()shutdown-and-power off
Housing Center	()continue ()shutdown-and-power off
Housing Right	()continue ()shutdown-and-power off
Ambient	()continue ()shutdown-and-power off
Front-Side I/O-Module	()continue ()shutdown-and-power off
MMB-1	()continue ()shutdown-and-power off
MMB-2	()continue ()shutdown-and-power off
Connection Blade-1	()continue ()shutdown-and-power off
Connection Blade-2	()continue ()shutdown-and-power off
Connection Blade-3	()continue ()shutdown-and-power off
Connection Blade-4	()continue ()shutdown-and-power off
PSU-1	()continue ()shutdown-and-power off
PSU-2 / Rear Fan Unit-2	()continue ()shutdown-and-power off
PSU-3 / Rear Fan Unit-3	()continue ()shutdown-and-power off
PSU-4 / Rear Fan Unit-4	()continue ()shutdown-and-power off

■ Management Blade

設定項目	設定値
Configuration	
Blade Asset Tag	
Blade Asset Tag	[]
Switch Management Role	
Switch Role on NIC Status Detection	()disable ()enable
Link Down Timeout (0-300)	[] seconds

■ Server Blade

マネジメントブレードより参照・変更できる設定は、サーバブレード本体に記録されています。
 サーバブレードの環境設定シートを用いて記録してください。

■ Storage Blade

設定項目	設定値
Storage Blade-1	
Configuration	
Blade Asset Tag	
Blade Asset Tag	[]
Storage Blade-2	
Configuration	
Blade Asset Tag	
Blade Asset Tag	[]
Storage Blade-3	
Configuration	
Blade Asset Tag	
Blade Asset Tag	[]
Storage Blade-4	
Configuration	
Blade Asset Tag	
Blade Asset Tag	[]
Storage Blade-5	
Configuration	
Blade Asset Tag	
Blade Asset Tag	[]
Storage Blade-6	
Configuration	
Blade Asset Tag	
Blade Asset Tag	[]
Storage Blade-7	
Configuration	
Blade Asset Tag	
Blade Asset Tag	[]
Storage Blade-8	
Configuration	
Blade Asset Tag	
Blade Asset Tag	[]

■ Connection Blade

設定項目	設定値
Connection Blade 1	
User Assigned Name (※4)	
User Assigned Name	[]
Blade Asset Tag	
Blade Asset Tag	[]
Management Port Settings (※4) (※11)	
Enable DHCP (※9) (※12)	()disable ()enable
IP Address (※10) (※13)	[] [] [] []
Subnet Mask (※9) (※12)	[] [] [] []
Gateway Address (※9) (※12)	[] [] [] []
Enable VLAN	()disable ()enable
VLAN ID(2-4094)	[]
IPv6 Address (※14)	表示のみ
Stacking Port Setting (※1)	
Enable Internal Stacking Port	()disable ()enable
Downlink Port Group Speed Settings (※3)	
Port Group	Port Group Speed
Server Bays 1 - 3(port 1)	()10Gbps ()1000Mbps
Server Bays 4, 5(port 1)	()10Gbps ()1000Mbps
Server Bays 6 - 8(port 1)	()10Gbps ()1000Mbps
Server Bays 1 - 3(port 2)	()10Gbps ()1000Mbps
Server Bays 4, 5(port 2)	()10Gbps ()1000Mbps
Server Bays 6 - 8(port 2)	()10Gbps ()1000Mbps
Account Settings (※4) (※9) (※11) (※12)	
Privileged Mode Password (※6)	[]
Login User Name	[]
Login Password	[]
Connection Blade 2	
User Assigned Name (※4) (※7)	
User Assigned Name	[]
Blade Asset Tag	
Blade Asset Tag	[]
Management Port Control (※5)	
Management Port	()Internal Port ()External Port
Management Port Settings (※4) (※7) (※11)	
Enable DHCP (※9) (※12) (※15)	()disable ()enable
IP Address (※10) (※13) (※16)	[] [] [] []
Subnet Mask (※9) (※12) (※15)	[] [] [] []
Gateway Address (※9) (※12) (※15)	[] [] [] []
Enable VLAN	()disable ()enable
VLAN ID(2-4094)	[]
IPv6 Address (※6) (※14)	表示のみ
Stacking Port Setting (※1)	
Enable Internal Stacking Port	()disable ()enable
Downlink Port Group Speed Settings (※3)	
Port Group	Port Group Speed
Server Bays 1 - 3(port 1)	()10Gbps ()1000Mbps
Server Bays 4, 5(port 1)	()10Gbps ()1000Mbps
Server Bays 6 - 8(port 1)	()10Gbps ()1000Mbps
Server Bays 1 - 3(port 2)	()10Gbps ()1000Mbps
Server Bays 4, 5(port 2)	()10Gbps ()1000Mbps
Server Bays 6 - 8(port 2)	()10Gbps ()1000Mbps
Account Settings (※4) (※7) (※9) (※11) (※12)	
Privileged Mode Password (※6) (※15)	[]
Login User Name	[]
Login Password	[]

(続く)

設定項目	設定値
Connection Blade 3	
User Assigned Name (※4) (※7)	
User Assigned Name	[]
Blade Asset Tag	
Blade Asset Tag	[]
Management Port Control (※5)	
Management Port	()Internal Port ()External Port
Management Port Settings (※4) (※7) (※11)	
Enable DHCP (※9) (※12) (※15)	()disable ()enable
IP Address (※10) (※13) (※16)	[] [] [] []
Subnet Mask (※9) (※12) (※15)	[] [] [] []
Gateway Address (※9) (※12) (※15)	[] [] [] []
Enable VLAN	()disable ()enable
VLAN ID(2-4094)	[]
IPv6 Address (※6) (※8) (※14)	表示のみ
Stacking Port Setting (※1)	
Enable Internal Stacking Port	()disable ()enable
Downlink Port Group Speed Settings (※3)	
Port Group	Port Group Speed
Server Bays 1 - 3	()10Gbps ()1000Mbps
Server Bays 4, 5	()10Gbps ()1000Mbps
Server Bays 6 - 8	()10Gbps ()1000Mbps
Account Settings (※4) (※7) (※8) (※9) (※11) (※12)	
Privileged Mode Password (※6) (※15) (※17)	[]
Login User Name	[]
Login Password	[]
Connection Blade 4	
User Assigned Name (※4) (※7)	
User Assigned Name	[]
Blade Asset Tag	
Blade Asset Tag	[]
Management Port Control (※5)	
Management Port	()Internal Port ()External Port
Management Port Settings (※4) (※7) (※11)	
Enable DHCP (※9) (※12) (※15)	()disable ()enable
IP Address (※10) (※13) (※16)	[] [] [] []
Subnet Mask (※9) (※12) (※15)	[] [] [] []
Gateway Address (※9) (※12) (※15)	[] [] [] []
Enable VLAN	()disable ()enable
VLAN ID(2-4094)	[]
IPv6 Address (※6) (※14)	表示のみ
Stacking Port Setting (※1)	
Enable Internal Stacking Port	()disable ()enable
Downlink Port Group Speed Settings (※3)	
Port Group	Port Group Speed
Server Bays 1 - 3	()10Gbps ()1000Mbps
Server Bays 4, 5	()10Gbps ()1000Mbps
Server Bays 6 - 8	()10Gbps ()1000Mbps
Account Settings (※4) (※7) (※8) (※9) (※11) (※12)	
Privileged Mode Password (※6) (※15)	[]
Login User Name	[]
Login Password	[]

- ※1 スイッチブレード (1Gbps 36/8+2) を搭載したときのみ表示
- ※2 スイッチブレード (10Gbps 18/8) を搭載したときのみ表示
- ※3 LANパススルーブレード (10Gbps 18/18) を搭載したときのみ表示
- ※4 LANパススルーブレード (10Gbps 18/18) を搭載したときは非表示
- ※5 ファイバーチャネルスイッチブレード/FCスイッチブレード (8Gbps 18/8) を搭載したときのみ表示
- ※6 ファイバーチャネルスイッチブレード/FCスイッチブレード (8Gbps 18/8) を搭載したときは非表示
- ※7 ファイバーチャネルパススルーブレード (8Gbps 18/18) を搭載したときは非表示
- ※8 SAS スイッチブレード (6Gbps 18/6)を搭載したときは非表示
- ※9 コンバージドスイッチブレード(10Gbps 18/6+6)[VDX 2730] を搭載したときは非表示
- ※10 コンバージドスイッチブレード(10Gbps 18/6+6)[VDX 2730] を搭載したときは表示のみ
- ※11 Cisco Nexus B22 Blade Fabric Extender を搭載したときは非表示
- ※12 コンバージドファブリックスイッチブレード(10Gbps 18/8+2) / スイッチブレード (10Gbps 18/8+2) を搭載したときは非表示
- ※13 コンバージドファブリックスイッチブレード(10Gbps 18/8+2) / スイッチブレード (10Gbps 18/8+2) を搭載したときは表示のみ
- ※14 IPv6 Addressには、Global IPv6 Addressが表示されます。Global IPv6 Addressが設定されていない場合は、Link Local IPv6 Address が表示されます。
- ※15 FCスイッチブレード (16Gbps 18/8) を搭載したときは非表示
- ※16 FCスイッチブレード (16Gbps 18/8) を搭載したときは表示のみ
- ※17 InfiniBand スイッチブレード (40Gbps 18/18)を搭載したときは非表示

■ Logging

設定項目	設定値
System Event Log	
Event Log Display Filter	
Display Critical	()disable ()enable
Display Major	()disable ()enable
Display Minor	()disable ()enable
Display Info	()disable ()enable
CSS Only	()disable ()enable
Show Resolutions (※1)	()disable ()enable
Audit Log	
Export Audit Log	
Export Media	()Local File ()Email (※2)
Audit Log Display Filter	
Display Minor	()disable ()enable
Display Info	()disable ()enable
Configuration	
General	
Behavior On Log Full	()Wrap Around ()No Further Entries
Enable Audit Log	()disable ()enable
System Event Log	
Default Display Filter	
Display Critical	()disable ()enable
Display Major	()disable ()enable
Display Minor	()disable ()enable
Display Info	()disable ()enable
CSS Only	()disable ()enable
Show Resolutions	()disable ()enable
Event Log Option	
Enable Adaptive Budgeting Event Logging	()disable ()enable
Enable Server Blade Power-On/Off Event Log	()disable ()enable
Export Configuration	
Enable Export By Syslog	()disable ()enable
Syslog Server Address	[] [] [] []
Syslog Remote Port	[]
Export Severity Level	
Display Critical	()disable ()enable
Display Major	()disable ()enable
Display Minor	()disable ()enable
Display Info	()disable ()enable
Audit Log	
Default Display Filter	
Display Minor	()disable ()enable
Display Info	()disable ()enable
Notification Configuration	
Enable Warning Thresholds	
By Number Of Entries	()disable ()enable
By Percentage Used	()disable ()enable
Add Warning To System Event Log When	
Number Of Entries Reached (※3)	[] / 511
Used Space Reached (※4)	[] %
Export Configuration	
Enable System Event Log Export Together With Audit Log	()disable ()enable
Enable Compressed Export	()disable ()enable
Enable Encrypted Export	()No Encryption ()RC4 ()AES
Encryption Password (※5)	[]

設定項目	設定値
Configuration	
Audit Log	
Export Configuration	
Protocol Export By Email (※6)	
Enable Export By Email	<input type="checkbox"/> disable <input type="checkbox"/> enable
From	[]
To 1:	[]
2:	[]
3:	[]
4:	[]
5:	[]
Subject	[]
Export Frequency	<input type="checkbox"/> Every Event <input type="checkbox"/> Daily <input type="checkbox"/> Weekly <input type="checkbox"/> On Demand
Export Time (hh:mm)	[]
Export Weekday (※7)	<input type="checkbox"/> Monday <input type="checkbox"/> Tuesday <input type="checkbox"/> Wednesday <input type="checkbox"/> Thursday <input type="checkbox"/> Friday <input type="checkbox"/> Saturday <input type="checkbox"/> Sunday
Export On Reaching Threshold	<input type="checkbox"/> By Number Of Entries <input type="checkbox"/> By Percentage Used <input type="checkbox"/> On Demand
Export When	
Number Of Entries Reached (※8)	[] / 511
Used Space Reached (※9)	[] %
Protocol Export By Syslog	
Enable Export By Syslog	<input type="checkbox"/> disable <input type="checkbox"/> enable
Syslog Server Address (※10)	[][][][]
Syslog Remote Port (※10)	[]
Export Severity Level (※10)	
Minor	<input type="checkbox"/> disable <input type="checkbox"/> enable
Info	<input type="checkbox"/> disable <input type="checkbox"/> enable

※1 Component にManagement Bladeを選択した場合のみ表示

※2 [Logging]-[Configuration]-[Audit Log]-[Export Configuration]-[Protocol Export By Email]で[Enable Export By Email]を有効に設定すると表示されます。

※3 Enable Warning ThresholdsのBy Number Of Entriesが有効時に設定可能

※4 Enable Warning ThresholdsのBy Percentage Usedが有効時に設定可能

※5 Enable Encrypted ExportにNo Encryption以外を選択した場合に設定可能

※6 [Settings]-[System Unit]-[Alerting]-[Mail Configuration] の順に選択して、最低1台のSMTPサーバを設定する必要があります。

※7 Export FrequencyにWeeklyを選択した場合に設定可能

※8 Export On Reaching ThresholdにBy Number Of Entriesを選択した場合に設定可能

※9 Export On Reaching ThresholdにBy Percentage Usedを選択した場合に設定可能

※10 Enable Export By Syslogが有効時に設定可能

Local Service Display

設定項目	設定値
Message	
Message Text	[]
PIN	
Enable PIN	<input type="checkbox"/> disable <input type="checkbox"/> enable
PIN	[]

Front-Side I/O Manager

設定項目	設定値
Assignment	
Current Assignment To USB/DVD	
Server Blade Slot	<input type="checkbox"/> 1 <input type="checkbox"/> 2s <input type="checkbox"/> 3 <input type="checkbox"/> 4s <input type="checkbox"/> 5 <input type="checkbox"/> 6s <input type="checkbox"/> 7 <input type="checkbox"/> 8s
Access Configuration ※1	
Access For USB/DVD	
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Grant Access For All Server Blades	<input type="checkbox"/> disable <input type="checkbox"/> enable

※1 Current Assignment To USB/DVDで、どのサーバブレードにも割り当てられていない場合に設定可能

■ Power Management

設定項目	設定値
History	
Power History Options	
Enable Power Monitoring History	<input type="checkbox"/> disable <input type="checkbox"/> enable
Power History Period	<input type="checkbox"/> 1 hour <input type="checkbox"/> 12 hours <input type="checkbox"/> 1 day <input type="checkbox"/> 1 week <input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 month <input type="checkbox"/> 1 year
Power Unit Options [W]	
Power Monitoring Units	<input type="checkbox"/> Watt <input type="checkbox"/> BTU/h
Power Switch	
Server Blade Power Control	
Server Blade Power Switch	<input type="checkbox"/> Turn On All Server Blades <input type="checkbox"/> Turn Off All Server Blades
System Power Switch Configuration	
Automatic Inventory Retrieval	<input type="checkbox"/> Manual <input type="checkbox"/> Automatic
Power Off System Unit If All Server Blades Are Off More Than 30 Minutes	<input type="checkbox"/> disable <input type="checkbox"/> enable
Power Off System Unit After Last Server Blade Stopped	<input type="checkbox"/> disable <input type="checkbox"/> enable
Scheduled System Power Switch On/Off Timer	
Sunday	
On-Time	[]
Off-Time	[]
Monday	
On-Time	[]
Off-Time	[]
Tuesday	
On-Time	[]
Off-Time	[]
Wednesday	
On-Time	[]
Off-Time	[]
Thursday	
On-Time	[]
Off-Time	[]
Friday	
On-Time	[]
Off-Time	[]
Saturday	
On-Time	[]
Off-Time	[]
Every Day	
hh:mm	[]
hh:mm	[]
Minutes In Advance(0-255)	
trap	[]
trap	[]
Server Blade Power-On/Off Sequence	
First Powered On / Last Powered Off	サーバブレード(Server Blade) - []
↓	サーバブレード(Server Blade) - []
	サーバブレード(Server Blade) - []
	サーバブレード(Server Blade) - []
	サーバブレード(Server Blade) - []
	サーバブレード(Server Blade) - []
	サーバブレード(Server Blade) - []
↑	サーバブレード(Server Blade) - []
Last Powered On / First Powered Off	サーバブレード(Server Blade) - []
Delay Between System Power-On And First Server Blade Power-On (0-60)	[] minutes
Delay Between Two Server Blades Power-On/Off (0-10)	[] minutes
Server Blade Power-Off Action	<input type="checkbox"/> Graceful Shutdown and Power-Off <input type="checkbox"/> Hard Power-Off

(続く)

設定項目	設定値
Power Switch	
Server Blade Power Switch Configuration	
Slot-1	
Power Restore Policy	<input type="checkbox"/> Always Power Off <input type="checkbox"/> Always Power On <input type="checkbox"/> Restore To Power State Prior To Power Loss
Force Power-Off	<input type="checkbox"/> disable <input type="checkbox"/> enable
Delay After Power-Off Failed (1-7)	[] minutes
Slot-2	
Power Restore Policy	<input type="checkbox"/> Always Power Off <input type="checkbox"/> Always Power On <input type="checkbox"/> Restore To Power State Prior To Power Loss
Force Power-Off	<input type="checkbox"/> disable <input type="checkbox"/> enable
Delay After Power-Off Failed (1-7)	[] minutes
Slot-3	
Power Restore Policy	<input type="checkbox"/> Always Power Off <input type="checkbox"/> Always Power On <input type="checkbox"/> Restore To Power State Prior To Power Loss
Force Power-Off	<input type="checkbox"/> disable <input type="checkbox"/> enable
Delay After Power-Off Failed (1-7)	[] minutes
Slot-4	
Power Restore Policy	<input type="checkbox"/> Always Power Off <input type="checkbox"/> Always Power On <input type="checkbox"/> Restore To Power State Prior To Power Loss
Force Power-Off	<input type="checkbox"/> disable <input type="checkbox"/> enable
Delay After Power-Off Failed (1-7)	[] minutes
Slot-5	
Power Restore Policy	<input type="checkbox"/> Always Power Off <input type="checkbox"/> Always Power On <input type="checkbox"/> Restore To Power State Prior To Power Loss
Force Power-Off	<input type="checkbox"/> disable <input type="checkbox"/> enable
Delay After Power-Off Failed (1-7)	[] minutes
Slot-6	
Power Restore Policy	<input type="checkbox"/> Always Power Off <input type="checkbox"/> Always Power On <input type="checkbox"/> Restore To Power State Prior To Power Loss
Force Power-Off	<input type="checkbox"/> disable <input type="checkbox"/> enable
Delay After Power-Off Failed (1-7)	[] minutes
Slot-7	
Power Restore Policy	<input type="checkbox"/> Always Power Off <input type="checkbox"/> Always Power On <input type="checkbox"/> Restore To Power State Prior To Power Loss
Force Power-Off	<input type="checkbox"/> disable <input type="checkbox"/> enable
Delay After Power-Off Failed (1-7)	[] minutes
Slot-8	
Power Restore Policy	<input type="checkbox"/> Always Power Off <input type="checkbox"/> Always Power On <input type="checkbox"/> Restore To Power State Prior To Power Loss
Force Power-Off	<input type="checkbox"/> disable <input type="checkbox"/> enable
Delay After Power-Off Failed (1-7)	[] minutes
Input Power Limit	
PSU Controlling	
Enable General PSU Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
PSU Dynamic Mode	<input type="checkbox"/> Disabled <input type="checkbox"/> Standard
Redundancy	<input type="checkbox"/> No Redundancy <input type="checkbox"/> 1+1 <input type="checkbox"/> 2+1 <input type="checkbox"/> 3+1 <input type="checkbox"/> 2+2
Input Power System Limit	
Enable Input Power Limit	<input type="checkbox"/> disable <input type="checkbox"/> enable
Currently Possible Input Power Limitation (※1)	[] Watt
Input Power System Warning	
Warning Threshold (1-100) (※1)	[] Percent Of Limit Threshold
Limit Duration Time (1-7200) (※1)	[] Seconds
Action After Limit Exceeded (※1)	<input type="checkbox"/> Continue <input type="checkbox"/> Graceful Shutdown And Off <input type="checkbox"/> Hard Power-off
Consumption	
System Power Consumption Modes	<input type="checkbox"/> Adaptive <input type="checkbox"/> Minimum <input type="checkbox"/> Low Noise <input type="checkbox"/> Server Controlled <input type="checkbox"/> Scheduled
Adaptive Mode	
Re-Evaluation Policy	<input type="checkbox"/> Consumption Demand <input type="checkbox"/> Server Blade Priority

(続く)

設定項目	設定値
Consumption	
Server Controlled Consumption Mode Table	
Slot 1	
Consumption Mode (※2)	()Power Limit ()iRMC Controlled ()OS Controlled ()Minimum
Input Limit Watt (※3)	[]
Slot 2	
Consumption Mode (※2)	()Power Limit ()iRMC Controlled ()OS Controlled ()Minimum
Input Limit Watt (※3)	[]
Slot 3	
Consumption Mode (※2)	()Power Limit ()iRMC Controlled ()OS Controlled ()Minimum
Input Limit Watt (※3)	[]
Slot 4	
Consumption Mode (※2)	()Power Limit ()iRMC Controlled ()OS Controlled ()Minimum
Input Limit Watt (※3)	[]
Slot 5	
Consumption Mode (※2)	()Power Limit ()iRMC Controlled ()OS Controlled ()Minimum
Input Limit Watt (※3)	[]
Slot 6	
Consumption Mode (※2)	()Power Limit ()iRMC Controlled ()OS Controlled ()Minimum
Input Limit Watt (※3)	[]
Slot 7	
Consumption Mode (※2)	()Power Limit ()iRMC Controlled ()OS Controlled ()Minimum
Input Limit Watt (※3)	[]
Slot 8	
Consumption Mode (※2)	()Power Limit ()iRMC Controlled ()OS Controlled ()Minimum
Input Limit Watt (※3)	[]
Consumption Schedule For All Server Blades	
Sunday	
Time 1	[]
Mode 1	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Time 2	[]
Mode 2	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Monday	
Time 1	[]
Mode 1	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Time 2	[]
Mode 2	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Tuesday	
Time 1	[]
Mode 1	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Time 2	[]
Mode 2	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Wednesday	
Time 1	[]
Mode 1	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Time 2	[]
Mode 2	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Thursday	
Time 1	[]
Mode 1	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Time 2	[]
Mode 2	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Friday	
Time 1	[]
Mode 1	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Time 2	[]
Mode 2	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Saturday	
Time 1	[]
Mode 1	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Time 2	[]
Mode 2	()Adaptive ()Minimum ()Low Noise ()Server Controlled
Every Day	
HH:MM	[]
Mode 1	()Adaptive ()Minimum ()Low Noise ()Server Controlled
HH:MM	[]
Mode 2	()Adaptive ()Minimum ()Low Noise ()Server Controlled

(続く)

設定項目	設定値
Consumption	
Adaptive Budgeting Priority Table	
Priority 1	Server Blade - []
Priority 2	Server Blade - []
Priority 3	Server Blade - []
Priority 4	Server Blade - []
Priority 5	Server Blade - []
Priority 6	Server Blade - []
Priority 7	Server Blade - []
Priority 8	Server Blade - []

※1 Enable Input Power Limit を enable に設定したときのみ設定可能

※2 System Power Consumption Modes に Server Controlled を選択したときのみ設定可能

※3 Consumption Mode に Power Limit を選択したときのみ設定可能

■ User Management

設定項目	設定値
Local Users	
Local User Account - User1	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
Name	[_____]
Password	[_____]
Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Dashboard on Sign-In	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable User Activity Logging	<input type="checkbox"/> disable <input type="checkbox"/> enable
Access Bays	
Management Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Bays	
All Server Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Connection Bays	
All Connection Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB1	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB2	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB3	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB4	<input type="checkbox"/> disable <input type="checkbox"/> enable

(続く)

設定項目	設定値
Local Users	
Local User Account - User2	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
Name	[]
Password	[]
Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Dashboard on Sign-In	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable User Activity Logging	<input type="checkbox"/> disable <input type="checkbox"/> enable
Access Bays	
Management Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Bays	
All Server Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Connection Bays	
All Connection Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB1	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB2	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB3	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB4	<input type="checkbox"/> disable <input type="checkbox"/> enable
Local User Account - User3	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
Name	[]
Password	[]
Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Dashboard on Sign-In	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable User Activity Logging	<input type="checkbox"/> disable <input type="checkbox"/> enable
Access Bays	
Management Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Bays	
All Server Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Connection Bays	
All Connection Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB1	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB2	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB3	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB4	<input type="checkbox"/> disable <input type="checkbox"/> enable

(続<)

設定項目	設定値
Local Users	
Local User Account - User4	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
Name	[]
Password	[]
Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Dashboard on Sign-In	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable User Activity Logging	<input type="checkbox"/> disable <input type="checkbox"/> enable
Access Bays	
Management Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Bays	
All Server Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Connection Bays	
All Connection Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB1	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB2	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB3	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB4	<input type="checkbox"/> disable <input type="checkbox"/> enable
Local User Account - User5	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
Name	[]
Password	[]
Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Dashboard on Sign-In	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable User Activity Logging	<input type="checkbox"/> disable <input type="checkbox"/> enable
Access Bays	
Management Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Bays	
All Server Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Connection Bays	
All Connection Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB1	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB2	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB3	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB4	<input type="checkbox"/> disable <input type="checkbox"/> enable

(続<)

設定項目	設定値
Local Users	
Local User Account - User6	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
Name	[]
Password	[]
Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Dashboard on Sign-In	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable User Activity Logging	<input type="checkbox"/> disable <input type="checkbox"/> enable
Access Bays	
Management Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Bays	
All Server Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Connection Bays	
All Connection Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB1	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB2	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB3	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB4	<input type="checkbox"/> disable <input type="checkbox"/> enable
Local User Account - User7	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
Name	[]
Password	[]
Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Dashboard on Sign-In	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable User Activity Logging	<input type="checkbox"/> disable <input type="checkbox"/> enable
Access Bays	
Management Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Bays	
All Server Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Connection Bays	
All Connection Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB1	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB2	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB3	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB4	<input type="checkbox"/> disable <input type="checkbox"/> enable

(続<)

設定項目	設定値
Local Users	
Local User Account - User8	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
Name	[]
Password	[]
Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Dashboard on Sign-In	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable User Activity Logging	<input type="checkbox"/> disable <input type="checkbox"/> enable
Access Bays	
Management Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Bays	
All Server Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Connection Bays	
All Connection Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB1	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB2	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB3	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB4	<input type="checkbox"/> disable <input type="checkbox"/> enable
Local User Account - User9	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
Name	[]
Password	[]
Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Dashboard on Sign-In	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable User Activity Logging	<input type="checkbox"/> disable <input type="checkbox"/> enable
Access Bays	
Management Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Bays	
All Server Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Connection Bays	
All Connection Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB1	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB2	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB3	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB4	<input type="checkbox"/> disable <input type="checkbox"/> enable

(続<)

設定項目	設定値
Local Users	
Local User Account - User10	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
Name	[]
Password	[]
Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Dashboard on Sign-In	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable User Activity Logging	<input type="checkbox"/> disable <input type="checkbox"/> enable
Access Bays	
Management Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Bays	
All Server Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Connection Bays	
All Connection Bays	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB1	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB2	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB3	<input type="checkbox"/> disable <input type="checkbox"/> enable
CB4	<input type="checkbox"/> disable <input type="checkbox"/> enable
Global Users	
Global Directory Service Configuration	
Enable LDAP	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable LDAP SSL	<input type="checkbox"/> disable <input type="checkbox"/> enable
Disable Local Login	<input type="checkbox"/> disable <input type="checkbox"/> enable
Always use SSL Login	<input type="checkbox"/> disable <input type="checkbox"/> enable
Directory Server Type	<input type="checkbox"/> Active Directory <input type="checkbox"/> OpenLDAP <input type="checkbox"/> eDirectory
IPv4	
LDAP Server 1	[][][][]
LDAP Server 2	[][][][]
IPv6	
LDAP Server 1	[]
LDAP Server 2	[]
Domain Name	[]
Base DN	[]
Search Scope	[]
Department	[]
Directory Service Access Configuration	
LDAP Authentication User Name	[]
LDAP Authentication User Password	[]
Directory Services Authorization Type	<input type="checkbox"/> SVS LDAP path settings <input type="checkbox"/> LDAP Groups with authorization configuration at MMB
LDAP Group configuration	
Configure Privileges for LDAP Groups	
Enabled	<input type="checkbox"/> disable <input type="checkbox"/> enable
LDAP Group Name	[]
System Permission	<input type="checkbox"/> Administrator <input type="checkbox"/> OEM <input type="checkbox"/> Operator <input type="checkbox"/> User
Special MMB Privileges	
Configure System Accounts (※1)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable
Special Server Blade Privileges (※2)	
Configure User Accounts	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure System Settings	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Video Redirection	<input type="checkbox"/> disable <input type="checkbox"/> enable
Enable Remote Storage	<input type="checkbox"/> disable <input type="checkbox"/> enable
Configure Connection Blades (※2) (※3)	<input type="checkbox"/> disable <input type="checkbox"/> enable

(続く)

設定項目	設定値
Global Users	
LDAP Group configuration	
Configure Privileges for LDAP Groups	
アクセス(Access)	
Server	
All Server Slots	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade Slot 8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Dashboard	
Enable Use Of Dashboard	<input type="checkbox"/> disable <input type="checkbox"/> enable

※1 Permission に Administrator を選択した場合のみ有効に設定可能

※2 Permission に Administrator を選択した場合は常に有効

※3 Permission に User を選択した場合は常に無効

■ Installation Management

設定項目	設定値
OS Installation	
Installation Targets	
All Server Blades	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade-1	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade-2s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade-3	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade-4s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade-5	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade-6s	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade-7	<input type="checkbox"/> disable <input type="checkbox"/> enable
Server Blade-8s	<input type="checkbox"/> disable <input type="checkbox"/> enable
OS Selection	<input type="checkbox"/> disable <input type="checkbox"/> enable
OS Type	<input type="checkbox"/> Windows <input type="checkbox"/> Linux <input type="checkbox"/> Hypervisor
OS Version/Distribution	<input type="checkbox"/> MS Windows Server 2008 <input type="checkbox"/> MS Windows Server 2008 x64 Ed. <input type="checkbox"/> MS Windows Server 2008 R2 <input type="checkbox"/> MS Windows Server 2012 <input type="checkbox"/> MS Windows Small Business Server <input type="checkbox"/> Red Hat Enterprise Linux <input type="checkbox"/> SUSE Linux Enterprise Server <input type="checkbox"/> VMware ESX <input type="checkbox"/>
OS Edition	<input type="checkbox"/> Windows Server 2008 Standard Ed. <input type="checkbox"/> Windows Server 2008 Enterprise Ed. <input type="checkbox"/> Windows Server 2008 Web Ed. <input type="checkbox"/> Windows Server 2008 Standard x64 Ed. <input type="checkbox"/> Windows Server 2008 Enterprise x64 Ed. <input type="checkbox"/> Windows Server 2008 Datacenter x64 Ed. <input type="checkbox"/> Windows Server 2008 Web x64 Ed. <input type="checkbox"/> Windows Server 2008 R2 Standard <input type="checkbox"/> Windows Server 2008 R2 Enterprise <input type="checkbox"/> Windows Server 2008 R2 Datacenter <input type="checkbox"/> Windows Server 2008 R2 Web <input type="checkbox"/> Windows HPC Server 2008 <input type="checkbox"/> Windows Server 2012 Standard <input type="checkbox"/> Windows Server 2012 Datacenter <input type="checkbox"/> Windows Storage Server 2012 Standard <input type="checkbox"/> Windows SBS 2011 Standard <input type="checkbox"/> Red Hat Enterprise Linux 5.8/5.9 Server (i386) <input type="checkbox"/> Red Hat Enterprise Linux 5.8/5.9 Server (x86_64) <input type="checkbox"/> Red Hat Enterprise Linux 6.3/6.4 (x86) <input type="checkbox"/> Red Hat Enterprise Linux 6.3/6.4 (x86_64) <input type="checkbox"/> SUSE Linux Enterprise Server 10.3/10.4 (i386) <input type="checkbox"/> SUSE Linux Enterprise Server 10.3/10.4 (x86_64) <input type="checkbox"/> SUSE Linux Enterprise Server 11.1/11.2 (i386) <input type="checkbox"/> SUSE Linux Enterprise Server 11.1/11.2 (x86_64) <input type="checkbox"/> VMware ESX 4.0 <input type="checkbox"/> VMware ESX 4.1 <input type="checkbox"/> VMware ESXi 5.0 <input type="checkbox"/> VMware ESXi 5.1 <input type="checkbox"/>
OS Installation Options	
Administrator Password (※1)	[]
root Password (※3)	[]
Regional and Language Options	<input type="checkbox"/> German (Austria) <input type="checkbox"/> German (Switzerland) <input type="checkbox"/> German (Germany) <input type="checkbox"/> German (Liechtenstein) <input type="checkbox"/> German (Luxembourg) <input type="checkbox"/> English (United Kingdom) <input type="checkbox"/> English (United States) <input type="checkbox"/> Spanish (Spain) <input type="checkbox"/> Fernch (Belgium) <input type="checkbox"/> Fernch (Canada) <input type="checkbox"/> Fernch (France) <input type="checkbox"/> Fernch (Luxembourg) <input type="checkbox"/> Fernch (Monaco) <input type="checkbox"/> Fernch (Switzerland) <input type="checkbox"/> Italian (Switzerland) <input type="checkbox"/> Italian (Italy) <input type="checkbox"/> Japanese (Japan)
Non-OEM Product-ID (※1)	[] [] [] [] []
RH5 Installation Number (※2)	[]
On Errors Abort Installation	<input type="checkbox"/> disable <input type="checkbox"/> enable

(※1) OS Type に Windows を選択したときのみ表示

(※2) OS Edition に Red Hat Enterprise Linux 5 を選択したときのみ表示

(※3) OS Type に Linux または Hypervisor を選択したときのみ表示

■ Asset Tag Management

設定項目		設定値
Asset Tags		
System Unit		
BX400	[]
Server Blades		
Server Blade-1 / Storage Blade-1	[]
Server Blade-2 / Storage Blade-2	[]
Server Blade-3 / Storage Blade-3	[]
Server Blade-4 / Storage Blade-4	[]
Server Blade-5 / Storage Blade-5	[]
Server Blade-6 / Storage Blade-6	[]
Server Blade-7 / Storage Blade-7	[]
Server Blade-8 / Storage Blade-8	[]
Connection Blades		
Connection Blade-1	[]
Connection Blade-2	[]
Connection Blade-3	[]
Connection Blade-4	[]
Management Blades		
Management Blade-1	[]
Management Blade-2	[]

■ Certificate Handling

設定項目		設定値
System Certificate		
Certificate Signing Request		
CSR Generation		
Key Size	()512 ()1024 ()2048 ()4096	
Country	[]
State/Province	[]
Location	[]
Organization	[]
Organization Unit	[]
Common Name	[]
Email Address	[]
User Certificates		
User Name	[]
Password for User Certificate	[]

■ Network Interfaces

設定項目	設定値
Service LAN	
Port Configuration	
Duplex Setting Mode	()Auto-negotiation ()100 Full Mode ()100 Half Mode ()10 Full Mode ()10 Half Mode
IP Address Settings	
IPv4	
IP Address	[] [] [] []
Subnet Mask	[] [] [] []
Gateway	[] [] [] []
Activate This Gateway	()disable ()enable
IPv6	
Global Static IP Address	[]
Management LAN	
Ethernet	
Port Configuration	
Duplex Setting Mode	()Auto-negotiation ()100 Full Mode ()100 Half Mode ()10 Full Mode ()10 Half Mode
IP Address Settings	
IPv4	
Enable DHCP	()disable ()enable
IP Address	[] [] [] []
Subnet Mask	[] [] [] []
Gateway	[] [] [] []
Activate This Gateway	()disable ()enable
IPv6	
Global Static IP Address	[]
Enable DHCPv6	()disable ()enable
Domain Name Server	
DNSv4	
Obtain DNS configuration from DHCP	()disable ()enable
Domain Name	[]
DNS Server 1	[] [] [] []
DNS Server 2	[] [] [] []
DNSv6	
Obtain DNS configuration from DHCP	()disable ()enable
Domain Name	[]
DNS Server 1	[]
DNS Server 2	[]
IPMI Based Access	
Enable IPMI over LAN	()disable ()enable
Web Based Access	
HTTP / HTTPS	
HTTP Port	[]
Enable HTTPS	()disable ()enable
HTTPS Port	[]
Force HTTPS	()disable ()enable
Enable Client Authentication	()disable ()enable
WS-Man	
Enable WS-Man	()disable ()enable
Text Based Access	
Enable Telnet	()disable ()enable
Telnet Port	[]
Enable SSH	()disable ()enable
SSH Port	[]
Session Timeout	
Session Timeout For Web Based And Text Based Access (30~65535)	[] seconds

(続く)

設定項目	設定値
Management LAN	
VLAN	
VLAN Group Setting - VLAN Group 1	
Enable Group	()disable ()enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	()disable ()enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 2	
Enable Group	()disable ()enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	()disable ()enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 3	
Enable Group	()disable ()enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	()disable ()enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 4	
Enable Group	()disable ()enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	()disable ()enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 5	
Enable Group	()disable ()enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	()disable ()enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 6	
Enable Group	()disable ()enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	()disable ()enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 7	
Enable Group	()disable ()enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	()disable ()enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 8	
Enable Group	()disable ()enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	()disable ()enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 9	
Enable Group	()disable ()enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	()disable ()enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]

(続く)

設定項目	設定値
Management LAN	
VLAN	
VLAN Group Setting - VLAN Group 10	
Enable Group	<input type="checkbox"/> disable <input type="checkbox"/> enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 11	
Enable Group	<input type="checkbox"/> disable <input type="checkbox"/> enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 12	
Enable Group	<input type="checkbox"/> disable <input type="checkbox"/> enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
VLAN Group Setting - VLAN Group 13	
Enable Group	<input type="checkbox"/> disable <input type="checkbox"/> enable
Group Name	[]
Group ID (2-4094)	[]
Enable DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable
VLAN IP Address	[][][][]
VLAN Network Mask	[][][][]
IP Filter	
Protocols Permitted Globally	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
IP Filter 1	
Permitted protocol	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
Allowed IP Address/Subnet	[]
IP Filter 2	
Permitted protocol	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
Allowed IP Address/Subnet	[]
IP Filter 3	
Permitted protocol	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
Allowed IP Address/Subnet	[]
IP Filter 4	
Permitted protocol	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
Allowed IP Address/Subnet	[]
IP Filter 5	
Permitted protocol	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
Allowed IP Address/Subnet	[]
IP Filter 6	
Permitted protocol	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
Allowed IP Address/Subnet	[]
IP Filter 7	
Permitted protocol	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
Allowed IP Address/Subnet	[]
IP Filter 8	
Permitted protocol	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
Allowed IP Address/Subnet	[]
IP Filter 9	
Permitted protocol	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
Allowed IP Address/Subnet	[]
IP Filter 10	
Permitted protocol	<input type="checkbox"/> HTTP/HTTPS <input type="checkbox"/> SSH <input type="checkbox"/> SNMP <input type="checkbox"/> Telnet <input type="checkbox"/> IPMI over LAN
Allowed IP Address/Subnet	[]

■ AuDi-MIP

設定項目	設定値
Basic	
Basic Configuration	
Enable AuDi-MIP (Basic)	<input type="checkbox"/> disable <input type="checkbox"/> enable
VLAN Group Name	[]
AuDi-MIP Configuration	<input type="checkbox"/> All <input type="checkbox"/> Detailed
IP Address Range	[][][][] - [][][][]
Subnet Mask	[][][][]
Gateway	[][][][]
AuDi-MIP iRMC Configuration	
IP Address Range	[][][][] - [][][][]
Included Management Blade	<input type="checkbox"/> disable <input type="checkbox"/> enable
AuDi-MIP Connection Blade Management Controller Configuration	
IP Address Range	[][][][] - [][][][]
Included Management Blade	<input type="checkbox"/> disable <input type="checkbox"/> enable
Advanced	
Advanced Configuration	
Enable AuDi-MIP (Advanced)	<input type="checkbox"/> disable <input type="checkbox"/> enable
VLAN Group Name	[]
iRMC	
Server Blade-1	
Include	<input type="checkbox"/> disable <input type="checkbox"/> enable
AuDi-MIP Address	[][][][]
AuDi-MIP Subnet Mask	[][][][]
AuDi-MIP Gateway	[][][][]
Server Blade-2	
Include	<input type="checkbox"/> disable <input type="checkbox"/> enable
AuDi-MIP Address	[][][][]
AuDi-MIP Subnet Mask	[][][][]
AuDi-MIP Gateway	[][][][]
Server Blade-3	
Include	<input type="checkbox"/> disable <input type="checkbox"/> enable
AuDi-MIP Address	[][][][]
AuDi-MIP Subnet Mask	[][][][]
AuDi-MIP Gateway	[][][][]
Server Blade-4	
Include	<input type="checkbox"/> disable <input type="checkbox"/> enable
AuDi-MIP Address	[][][][]
AuDi-MIP Subnet Mask	[][][][]
AuDi-MIP Gateway	[][][][]
Server Blade-5	
Include	<input type="checkbox"/> disable <input type="checkbox"/> enable
AuDi-MIP Address	[][][][]
AuDi-MIP Subnet Mask	[][][][]
AuDi-MIP Gateway	[][][][]

(続<

設定項目	設定値
Advanced	
Advanced Configuration	
iRMC	
Server Blade-6	
Include	()disable ()enable
AuDi-MIP Address	[] [] [] []
AuDi-MIP Subnet Mask	[] [] [] []
AuDi-MIP Gateway	[] [] [] []
Server Blade-7	
Include	()disable ()enable
AuDi-MIP Address	[] [] [] []
AuDi-MIP Subnet Mask	[] [] [] []
AuDi-MIP Gateway	[] [] [] []
Server Blade-8	
Include	()disable ()enable
AuDi-MIP Address	[] [] [] []
AuDi-MIP Subnet Mask	[] [] [] []
AuDi-MIP Gateway	[] [] [] []
Connection Blade Management Controller	
Connection Blade-1	
Include	()disable ()enable
AuDi-MIP Address	[] [] [] []
AuDi-MIP Subnet Mask	[] [] [] []
AuDi-MIP Gateway	[] [] [] []
Connection Blade-2	
Include	()disable ()enable
AuDi-MIP Address	[] [] [] []
AuDi-MIP Subnet Mask	[] [] [] []
AuDi-MIP Gateway	[] [] [] []
Connection Blade-3	
Include	()disable ()enable
AuDi-MIP Address	[] [] [] []
AuDi-MIP Subnet Mask	[] [] [] []
AuDi-MIP Gateway	[] [] [] []
Connection Blade-4	
Include	()disable ()enable
AuDi-MIP Address	[] [] [] []
AuDi-MIP Subnet Mask	[] [] [] []
AuDi-MIP Gateway	[] [] [] []
Management Blade	
Include	()disable ()enable
AuDi-MIP Address	[] [] [] []
AuDi-MIP Subnet Mask	[] [] [] []
AuDi-MIP Gateway	[] [] [] []

■ SNMP

設定項目	設定値
Basic	
Enable SNMP	
Enable SNMP	<input type="checkbox"/> disable <input type="checkbox"/> enable
Agent IP for SNMP Trap	<input type="checkbox"/> Management LAN <input type="checkbox"/> Service LAN
SNMP Communities	
Community 1	
Community	[]
Permission	<input type="checkbox"/> read only <input type="checkbox"/> read write
Community 2	
Community	[]
Permission	<input type="checkbox"/> read only <input type="checkbox"/> read write
Community 3	
Community	[]
Permission	<input type="checkbox"/> read only <input type="checkbox"/> read write
Community 4	
Community	[]
Permission	<input type="checkbox"/> read only <input type="checkbox"/> read write
Community 5	
Community	[]
Permission	<input type="checkbox"/> read only <input type="checkbox"/> read write
SNMP Trap Destination	
Trap Destination 1	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Community	[]
Event Type	<input type="checkbox"/> All Events <input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Trap Destination 2	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Community	[]
Event Type	<input type="checkbox"/> All Events <input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Trap Destination 3	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Community	[]
Event Type	<input type="checkbox"/> All Events <input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Trap Destination 4	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Community	[]
Event Type	<input type="checkbox"/> All Events <input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Trap Destination 5	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Community	[]
Event Type	<input type="checkbox"/> All Events <input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event

(続く)

設定項目	設定値
SNMP V3	
V3 User Setting - User 1	
User 1	[]
Permission	()Read Only ()Read Write
Security Level	()Privacy ()Authentication ()No Authentication
Authentication Hash Method	()MD5 ()SHA
Authentication Password	[]
Privacy Password	[]
V3 User Setting - User 2	
User 2	[]
Permission	()Read Only ()Read Write
Security Level	()Privacy ()Authentication ()No Authentication
Authentication Hash Method	()MD5 ()SHA
Authentication Password	[]
Privacy Password	[]
V3 User Setting - User 3	
User 3	[]
Permission	()Read Only ()Read Write
Security Level	()Privacy ()Authentication ()No Authentication
Authentication Hash Method	()MD5 ()SHA
Authentication Password	[]
Privacy Password	[]
V3 User Setting - User 4	
User 4	[]
Permission	()Read Only ()Read Write
Security Level	()Privacy ()Authentication ()No Authentication
Authentication Hash Method	()MD5 ()SHA
Authentication Password	[]
Privacy Password	[]
V3 User Setting - User 5	
User 5	[]
Permission	()Read Only ()Read Write
Security Level	()Privacy ()Authentication ()No Authentication
Authentication Hash Method	()MD5 ()SHA
Authentication Password	[]
Privacy Password	[]
V3 User Setting - User 6	
User 6	[]
Permission	()Read Only ()Read Write
Security Level	()Privacy ()Authentication ()No Authentication
Authentication Hash Method	()MD5 ()SHA
Authentication Password	[]
Privacy Password	[]
V3 User Setting - User 7	
User 7	[]
Permission	()Read Only ()Read Write
Security Level	()Privacy ()Authentication ()No Authentication
Authentication Hash Method	()MD5 ()SHA
Authentication Password	[]
Privacy Password	[]
V3 User Setting - User 8	
User 8	[]
Permission	()Read Only ()Read Write
Security Level	()Privacy ()Authentication ()No Authentication
Authentication Hash Method	()MD5 ()SHA
Authentication Password	[]
Privacy Password	[]
V3 User Setting - User 9	
User 9	[]
Permission	()Read Only ()Read Write
Security Level	()Privacy ()Authentication ()No Authentication
Authentication Hash Method	()MD5 ()SHA
Authentication Password	[]
Privacy Password	[]

(続く)

設定項目	設定値
SNMP V3	
V3 User Setting - User 10	
User 10	[]
Permission	()Read Only ()Read Write
Security Level	()Privacy ()Authentication ()No Authentication
Authentication Hash Method	()MD5 ()SHA
Authentication Password	[]
Privacy Password	[]
V3 Trap Destination	
User 1	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Event Type	()All Events ()Informational Event ()Minor Event ()Major Event ()Critical Event
User 2	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Event Type	()All Events ()Informational Event ()Minor Event ()Major Event ()Critical Event
User 3	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Event Type	()All Events ()Informational Event ()Minor Event ()Major Event ()Critical Event
User 4	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Event Type	()All Events ()Informational Event ()Minor Event ()Major Event ()Critical Event
User 5	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Event Type	()All Events ()Informational Event ()Minor Event ()Major Event ()Critical Event
User 6	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Event Type	()All Events ()Informational Event ()Minor Event ()Major Event ()Critical Event
User 7	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Event Type	()All Events ()Informational Event ()Minor Event ()Major Event ()Critical Event
User 8	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Event Type	()All Events ()Informational Event ()Minor Event ()Major Event ()Critical Event
User 9	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Event Type	()All Events ()Informational Event ()Minor Event ()Major Event ()Critical Event
User 10	
Destination IPv4 Address	[][][][]
Destination IPv6 Address	[]
Event Type	()All Events ()Informational Event ()Minor Event ()Major Event ()Critical Event

■ Alerting

設定項目	設定値
Event Configuration	
Event Log filter	
Management Blade	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Server Blade	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Connection Blade	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Fans	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Temperature	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Temperature Sensor	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Power Supply	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
BIOS/iRMC Update	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Power Server Blade On/Off	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Authentication	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
CMOS	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Power Control	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Lifetime	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Misc.	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event
Debug	<input type="checkbox"/> Informational Event <input type="checkbox"/> Minor Event <input type="checkbox"/> Major Event <input type="checkbox"/> Critical Event

(続く)

設定項目	設定値
Mail Configuration	
Email Alerting	
Enable Alarm Mail	()disable ()enable
Mail Format	()Standard Format ()REMCS
Global Email Paging Configuration	
SMTP Retry (0-7)	[]
SMTP Retry Delay (0-255)	[] seconds
Primary SMTP Server Configuration	
SMTP Server IPv4 Address	[][][][]
SMTP Server IPv6 Address	[]
SMTP Port (1-65535)	[]
Auth Type	()disable ()Auth-Login ()Auth-Plain ()Auth-Cram-md5
Auth User Name	[]
Auth Password	[]
Secondary SMTP Server Configuration	
SMTP Server IPv4 Address	[][][][]
SMTP Server IPv6 Address	[]
SMTP Port (1-65535)	[]
Auth Type	()disable ()Auth-Login ()Auth-Plain ()Auth-Cram-md5
Auth User Name	[]
Auth Password	[]
Email-Format-Dependent Configuration	
From	[]
To 1	[]
To 2	[]
To 3	[]
To 4	[]
To 5	[]
Subject	[]
Admin Name	[]
Admin Phone	[]
SMTP Host Name	[]

■ Base Configuration Wizard

設定項目	設定値
Language Selection	
Set Language For Both	<input type="checkbox"/> disable <input type="checkbox"/> enable
Web Interface	<input type="checkbox"/> English <input type="checkbox"/> 日本語 <input type="checkbox"/> Deutsch
Local Service Display	<input type="checkbox"/> English <input type="checkbox"/> 日本語 <input type="checkbox"/> Deutsch
Date/Time Settings	
Date	[] / [] / [] (MM/DD/YYYY)
Time	[] : [] : [] (HH:MM:SS)
Time Zone	[]
Enable Daylight Saving Time	<input type="checkbox"/> disable <input type="checkbox"/> enable
Identification Settings	
Rack Name	[]
System Name	[]
Add Serial Number	<input type="checkbox"/> disable <input type="checkbox"/> enable
System Contact	[]
System Location	[]
Update All Connection Blade Names On Changing System Name Or Rack Name	<input type="checkbox"/> disable <input type="checkbox"/> enable
Network Settings	
IPv4 (Management LAN)	
Enable DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable
IP Address	[] [] [] []
Subnet Mask	[] [] [] []
Gateway	[] [] [] []
Obtain DNS Configuration From DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable
DNS Server 1	[] [] [] []
DNS Server 2	[] [] [] []
IPv6 (Management LAN)	
Static IP Address	[]
Enable DHCPv6	<input type="checkbox"/> disable <input type="checkbox"/> enable
Obtain DNS configuration from DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable
DNS Server 1	[]
DNS Server 2	[]
AuDi-MIP	
Enable AuDi-MIP	<input type="checkbox"/> disable <input type="checkbox"/> enable
IP Address Range	[] [] [] [] - [] [] [] []
Subnet Mask	[] [] [] []
Gateway	[] [] [] []
Connection Blade Settings	
Current Connection Blade - Connection Blade -1	
User Assigned Name	[]
Management Port (IPv4)	
Enable DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable
IP Address	[] [] [] []
Subnet Mask	[] [] [] []
Gateway	[] [] [] []
Management Port (IPv6)	
Enable DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable
Current Connection Blade - Connection Blade -2	
User Assigned Name	[]
Management Port (IPv4)	
Enable DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable
IP Address	[] [] [] []
Subnet Mask	[] [] [] []
Gateway	[] [] [] []
Management Port (IPv6)	
Enable DHCP	<input type="checkbox"/> disable <input type="checkbox"/> enable

(続く)

設定項目	設定値
Connection Blade Settings	
Current Connection Blade - Connection Blade -3	
User Assigned Name	[]
Management Port (IPv4)	
Enable DHCP	()disable ()enable
IP Address	[][][][]
Subnet Mask	[][][][]
Gateway	[][][][]
Management Port (IPv6)	
Enable DHCP	()disable ()enable
Current Connection Blade - Connection Blade -4	
User Assigned Name	[]
Management Port (IPv4)	
Enable DHCP	()disable ()enable
IP Address	[][][][]
Subnet Mask	[][][][]
Gateway	[][][][]
Management Port (IPv6)	
Enable DHCP	()disable ()enable
Front-side I/O Settings	
Access For USB/DVD	
Server Blade Slot 1	()disable ()enable
Server Blade Slot 2s	()disable ()enable
Server Blade Slot 3	()disable ()enable
Server Blade Slot 4s	()disable ()enable
Server Blade Slot 5	()disable ()enable
Server Blade Slot 6s	()disable ()enable
Server Blade Slot 7	()disable ()enable
Server Blade Slot 8s	()disable ()enable
Grant Access For All Bays	()disable ()enable
Power Settings	
Enable PSU Control	()disable ()enable
PSU Dynamic Mode	()Disabled ()Standard
Redundancy	()No Redundancy ()1+1 ()2+1 ()3+1 ()2+2
Display Unit	()Watt ()BTU/h
PIN Settings	
Enable PIN	()disable ()enable
PIN	[]
Ekeying Check	
Show Missing Connection Blades	()disable ()enable
Ignore Problems	()disable ()enable

B 障害連絡シート

モデル名・型名	□ PRIMERGY BX400 S1 シャーシ (型名:)																								
OS																									
設定環境																									
	添付資料	有・無																							

PRIMERGY BX400 S1 シャーシ

環境設定シート
CA92276-8914-11

発行日 2019年1月
発行責任 富士通株式会社

- 本書の内容は、改善のため事前連絡なしに変更することがあります。
- 本書に記載されたデータの使用に起因する、第三者の特許権およびその他の権利の侵害については、当社はその責を負いません。
- 無断転載を禁じます。