

Certified PRIMERGY Components for VMware vSAN(VMware vSAN 認証コンポーネント一覧)

Sep.2021
ver. 36

本ドキュメントでは以下のコンポーネントの認証状況を記載しています。
This document describes the certification of the following components.

- I/O Controller
- HDD - 3.5inch
- HDD - 2.5inch
- SSD - 3.5inch
- SSD - 2.5inch
- NVMe

vSAN 6.5以降、vSAN I/Oコントローラの認証はバスルー構成のみ対象となります。
RAID0構成のI/O ControllerでvSAN 6.2以前の環境を利用されている場合は、vSAN 6.5以降へアップグレードすることはできません。
vSAN 6.5 and later, vSAN I/O Controller Certification is only applicable to Pass-Through configuration.
Cannot upgrade to vSAN 6.5 or later when RAID0 is configured on I/O controller with vSAN 6.2 or earlier.

■ Supported
- : Not Supported

•I/O Controller(Pass-Through)

Product Name (品名)		Fujitsu Order Code		Supported Releases	Features	Firmware Version	Configurable Servers																
Japan Only	Outside Japan	Japan Only	Outside Japan				RX2550 M6	RX2540 M6	RX2530 M6	RX4770 M5	RX2540 M5	RX2530 M5	RX2550 M4	RX2540 M4	RX2530 M4	RX2550 M2	RX2540 M2	RX2530 M2	RX2550 M1	RX2540 M1	RX2530 M1		
SASコントローラカード	PSAS CP503i	PY-SC3FBV PYBSC3FBVL	PY-SC3FBV PYBSC3FBVL	vSAN 7.0 U2	All Flash	14.00.02.00	■	(+4)	■	-	-	-	-	-	-	-	-	-	-				
					Hybrid	14.00.02.00	■	(+4)	■	-	-	-	-	-	-	-	-	-	-	-	-		
SASコントローラカード	PSAS CP403i	PY-SC3FB3 PYBSC3FB3L	S26361-F5792-L504 S26361-F5792-E204	vSAN 7.0 U1 vSAN 7.0	All Flash	14.00.02.00	-	-	-	■	(+4)	■	-	-	-	-	-	-	-				
					Hybrid	14.00.02.00	-	-	-	■	(+4)	■	-	-	-	-	-	-	-	-	-		
SASコントローラカード	PSAS CP403i	PY-SC3FA3V PYBSC3FA3V	S26361-F3842-L503 S26361-F3842-E3	vSAN 7.0 U2 vSAN 7.0 U1 vSAN 7.0 vSAN 6.7 U3 vSAN 6.7 U2 vSAN 6.7 U1 vSAN 6.6.1 U3	All Flash	16.00.00.00	-	-	-	■	-	■	-	-	-	-	-	-	-				
					Hybrid	16.00.00.00	-	-	-	■	-	■	-	-	-	-	-	-	-	-	-		
SASコントローラカード	PSAS CP400i	PY-SC3FAV PYBSC3FAV	S26361-F3842-L502 S26361-F3842-E2	vSAN 7.0 U2 vSAN 7.0 U1 vSAN 7.0	All Flash	16.00.00.00	-	-	-	-	-	■	(+4)	■	(+4)	■	(+4)	■	(+4)	■			
					Hybrid	16.00.00.00	-	-	-	-	-	■	(+4)	■	(+4)	■	(+4)	■	(+4)	■	(+4)	■	
				vSAN 6.7 U3 vSAN 6.7 U2 vSAN 6.7 U1 vSAN 6.7	All Flash	16.00.00.00	-	-	-	-	-	-	■	(+5)	■	(+4)	■	(+4)	■	(+4)	■	(+4)	■
					Hybrid	16.00.00.00	-	-	-	-	-	-	■	(+5)	■	(+4)	■	(+4)	■	(+4)	■	(+4)	■
				vSAN 6.6.1 U3 vSAN 6.6.1 U2 vSAN 6.6.1 vSAN 6.6 vSAN 6.5	All Flash	16.00.00.00	-	-	-	-	-	-	■	(+5)	■	(+4)	■	(+4)	■	(+4)	■	(+4)	■
					Hybrid	16.00.00.00	-	-	-	-	-	-	■	(+5)	■	(+4)	■	(+4)	■	(+4)	■	(+4)	■
		vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash	13.00.00.00 05.00.00.00	-	-	-	-	-	-	-	■	(+1)	■	(+1)	■	(+1)	■	(+1)	■	(+1)		
			Hybrid	13.00.00.00 05.00.00.00	-	-	-	-	-	-	-	■	(+1)	■	(+1)	■	(+1)	■	(+1)	■	(+1)		
		vSAN 6.6.1 U3 vSAN 6.6.1 U2 vSAN 6.6.1 vSAN 6.6 vSAN 6.5	All Flash	16.00.00.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	(+4)	■	(+4)	
			Hybrid	16.00.00.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	(+4)	■	(+4)	
		vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash	13.00.00.00 05.00.00.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	(+4)	■	(+4)	
			Hybrid	13.00.00.00 11.00.00.00 05.00.00.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■	(+4)	■	(+4)	

(*) vSAN 6.2(ESXi 6.0 Update 3 ビルド番号5050593以降)でサポートしています。
Supported with vSAN 6.2(ESXi 6.0 Update 3 build number 5050593 and later).

(*) Firmware Version 05.00.00.00 ではサポートしていません。
Unsupported with Firmware Version 05.00.00.00.

(*) Firmware Version 05.00.00.00 と 11.00.00.00 ではサポートしていません。
Unsupported with Firmware Version 05.00.00.00 and 11.00.00.00.

(*) SAS expanderのある8本以上のディスク搭載はサポートしていません。
Unsupported with mounting more than eight disks per I/O controller on the server.

(*) サーバー上のI/Oコントローラごとに8本以上のディスクをマウントする場合、構成は以下のサイトに記載されるReady Nodeに準拠する必要があります。
When mounting more than eight disks per I/O controller on the server, configuration must conform Ready Node as followed:
https://www.vmware.com/resources/compatibility/search.php?deviceCategory=vSAN&details=1&vSAN_type=vSANreadynode&vSAN_partner=34&keyword=RX4770&page=1&display_interval=10&sort=Column:Partner&sortOrder=Asc

(*) M2カードはvSAN M1のみで検証済み。
M2 servers are not certified for vSAN 7.0 U1. Therefore, it is unsupported with vSAN 7.0 U1.

•I/O Controller(RAID0)

Product Name (品名)		Fujitsu Order Code		Supported Releases	Features	Firmware Version	Configurable Servers				
Japan Only	Outside Japan	Japan Only	Outside Japan				RX4770 M1	RX2550 M1	RX1330 M1	TX1320 M1	TX1320 M1
SASアレイコントローラカード	RAID Ctrl SAS 6G 1GB (D3116C)	PY-SR3C34 PYBSR3C34	S26361-F3669-L4 S26361-F3669-E4	vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash	-	-	-	-	-	
					Hybrid	3.410.55-3877	■	-	-	■	■

•HDD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵3.5インチニアラインSAS HDD-16TB(7.2krpm)	HD SAS 12G 16TB 7.2K 512e HOT PL 3.5' BC	PY-CHGT7B3 PYBCHGT7B3	S26361-F5571-L160 S26361-F5571-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-16TB(7.2krpm、SED)	HD SAS 12G 16TB 7.2K 512e SED H-PL 3.5'	PY-CHGT7BT PYBCHGT7BT	S26361-F5624-L160 S26361-F5624-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-14TB(7.2krpm)	HD SAS 12G 14TB 7.2K 512e HOT PL 3.5' BC	PY-CHET7B3 PYBCHET7B3	S26361-F5571-L140 S26361-F5571-E140	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-12TB(7.2krpm)	HD SAS 12G 12TB 7.2K 512e HOT PL 3.5' BC	PY-CHCT7B3 PYBCHCT7B3	S26361-F5571-L120 S26361-F5571-E120	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-10TB(7.2krpm)	HD SAS 12G 10TB 7.2K 512e HOT PL 3.5' BC	PY-CHAT7B2 PYBCHAT7B2	S26361-F5570-L100 S26361-F5570-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-10TB(7.2krpm)	HD SAS 12G 10TB 7.2K 512e HOT PL 3.5' BC	PY-CHAT7B3 PYBCHAT7B3	S26361-F5571-L100 S26361-F5571-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-8TB(7.2krpm)	HD SAS 12G 8TB 7.2K 512e HOT PL 3.5' BC	PY-CH8T7B7 PYBCH8T7B7	S26361-F5635-L800 S26361-F5635-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-8TB(7.2krpm)	HD SAS 12G 8TB 7.2K 512e HOT PL 3.5' BC	PY-CH8T7B2 PYBCH8T7B2	S26361-F5570-L800 S26361-F5570-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-8TB(7.2krpm)	HD SAS 12G 8TB 7.2K 512e HOT PL 3.5' BC	PY-CH8T7B3 PYBCH8T7B3	S26361-F5571-L800 S26361-F5571-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-6TB(7.2krpm)	HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC	PY-CH6T7B8 PYBCH6T7B8	S26361-F5635-L600 S26361-F5635-E600	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチ ニアラインSAS HDD-6TB(7.2krpm)	HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC	PY-CH6T7B2 PYBCH6T7B2	S26361-F5570-L600 S26361-F5570-E600	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチ ニアラインSAS HDD-6TB(7.2krpm)	HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC	PY-CH6T7B3 PYBCH6T7B3	S26361-F5571-L600 S26361-F5571-E600	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-4TB(7.2krpm)	HD SAS 12G 4TB 7.2K HOT PL 3.5' BC	PY-CH4T7G3 PYBCH4T7G3	S26361-F5626-L400 S26361-F5626-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0

•HDD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵3.5インチニアラインSAS HDD-4TB(7.2krpm)	HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC	PY-CH4T7B8 PYBCH4T7B8	S26361-F5635-L400 S26361-F5635-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチ ニアラインSAS HDD-4TB(7.2krpm)	HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC	PY-CH4T7B2 PYBCH4T7B2	S26361-F5570-L400 S26361-F5570-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチ ニアラインSAS HDD-4TB(7.2krpm)	HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC	PY-CH4T7B3 PYBCH4T7B3	S26361-F5571-L400 S26361-F5571-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-4TB(7.2krpm)	HD SAS 12G 4TB 7.2K HOT PL 3.5' BC	PY-CH4T7G3 PYBCH4T7G3	S26361-F5626-L400 S26361-F5626-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
該当型名なし	HD SAS 6G 4TB 7.2K HOT PL 3.5" BC	N/A	S26361-F3820-L400 S26361-F3820-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
該当型名なし	HD SAS 6G 3TB 7.2K HOT PL 3.5" BC	N/A	S26361-F3820-L300 S26361-F3820-E300	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-2.4TB(10krpm)	HD SAS 12G 2.4TB 10K 512e HOT PL 3.5' EP	PY-TH241D PYBTH241D	S26361-F5569-L124 S26361-F5569-E124	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-2TB(7.2krpm)	HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC	PY-CH2T7B8 PYBCH2T7B8	S26361-F5635-L200 S26361-F5635-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチ ニアラインSAS HDD-2TB(7.2krpm)	HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC	PY-CH2T7B2 PYBCH2T7B2	S26361-F5570-L200 S26361-F5570-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチ ニアラインSAS HDD-2TB(7.2krpm)	HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC	PY-CH2T7B3 PYBCH2T7B3	S26361-F5571-L200 S26361-F5571-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチニアラインSAS HDD-2TB(7.2krpm)	HD SAS 12G 2TB 7.2K HOT PL 3.5' BC	PY-CH2T7G3 PYBCH2T7G3	S26361-F5626-L200 S26361-F5626-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
該当型名なし	HD SAS 6G 2TB 7.2K HOT PL 3.5" BC	N/A	S26361-F3820-L200 S26361-F3820-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-1.8TB(10krpm)	HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP	PY-TH181D PYBTH181D	S26361-F5569-L118 S26361-F5569-E118	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5

•HDD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵3.5インチケーシング付きSAS HDD-1.8TB(10krpm)	HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP	PY-TH181D6 PYBTH181D6	S26361-F5731-L118 S26361-F5731-E118	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵3.5インチケーシング付きSAS HDD-1.2TB(10krpm)	HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP	PY-TH121E PYBTH121E	S26361-F5568-L112 S26361-F5568-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-1.2TB(10krpm)	n/a	PY-TH121C2 PYBTH121C2	S26361-F5244-L112 S26361-F5244-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-1.2TB(10krpm)	HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP	PY-TH121E6 PYBTH121E6	S26361-F5728-L112 S26361-F5728-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチニアラインSAS HDD-1TB(7.2krpm)	HD SAS 12G 1TB 7.2K HOT PL 3.5' BC	PY-CH1T7G3 PYBCH1T7G3	S26361-F5626-L100 S26361-F5626-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
該当型名なし	HD SAS 6G 1TB 7.2K HOT PL 3.5' BC	N/A	S26361-F3820-L100 S26361-F3820-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-900GB(15krpm)	HD SAS 12G 900GB 15K HOT PL 3.5' EP	PY-TH905E3 PYBTH905E3	S26361-F5532-L590 S26361-F5532-E590	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-900GB(10krpm)	n/a	PY-TH901C2 PYBTH901C2	S26361-F5244-L190 S26361-F5244-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-600GB(15krpm)	HD SAS 12G 600GB 15K HOT PL 3.5' EP	PY-TH605D3 PYBTH605D3	S26361-F5532-L560 S26361-F5532-E560	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-600GB(10krpm)	HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP	PY-TH601E PYBTH601E	S26361-F5568-L160 S26361-F5568-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-600GB(10krpm)	n/a	PY-TH601C2 PYBTH601C2	S26361-F5244-L160 S26361-F5244-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-600GB(15krpm)	HD SAS 12G 600GB 15K HOT PL 3.5' EP	PY-TH605E6 PYBTH605E6	S26361-F5726-L560 S26361-F5726-E560	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-600GB(10krpm)	HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP	PY-TH601E6 PYBTH601E6	S26361-F5728-L160 S26361-F5728-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0

•HDD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵3.5インチケーシング付きSAS HDD-450GB(15krpm)	HD SAS 12G 450GB 15K HOT PL 3.5' EP	PY-TH455D3 PYBTH455D3	S26361-F5532-L545 S26361-F5532-E545	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-450GB(10krpm)	n/a	PY-TH451C2 PYBTH451C2	S26361-F5244-L145 S26361-F5244-E145	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-300GB(15krpm)	HD SAS 12G 300GB 15K HOT PL 3.5' EP	PY-TH305D3 PYBTH305D3	S26361-F5532-L530 S26361-F5532-E530	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-300GB(10krpm)	HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP	PY-TH301E PYBTH301E	S26361-F5568-L130 S26361-F5568-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-300GB(15krpm)	n/a	PY-TH305C2 PYBTH305C2	S26361-F5245-L530 S26361-F5245-E530	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-300GB(10krpm)	n/a	PY-TH301C2 PYBTH301C2	S26361-F5244-L130 S26361-F5244-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-300GB(15krpm)	HD SAS 12G 300GB 15K HOT PL 3.5' EP	PY-TH305E6 PYBTH305E6	S26361-F5726-L530 S26361-F5726-E530	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵3.5インチケーシング付きSAS HDD-300GB(10krpm)	HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP	PY-TH301E6 PYBTH301E6	S26361-F5728-L130 S26361-F5728-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0

(*1) In VMware Compatibility Guide, some 3.5-inch disks are certified as 2.5-inch disk.

•HDD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵2.5インチSAS HDD-2.4TB(10krpm)	HD SAS 12G 2.4TB 10K 512e HOT PL 2.5' EP	PY-SH241D3 PYBSH241D3	S26361-F5543-L124 S26361-F5543-E124	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチニアラインSAS HDD-2TB(7.2krpm)	HD SAS 12G 2TB 7.2K 512n HOT PL 2.5' BC	PY-CH2T7E3 PYBCH2T7E3	S26361-F5600-L200 S26361-F5600-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチ ニアラインSAS HDD-2TB(7.2krpm)	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC	PY-CH2T7D2 PYBCH2T7D2	S26361-F5572-L200 S26361-F5572-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチ ニアラインSAS HDD-2TB(7.2krpm)	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC	PY-CH2T7D3 PYBCH2T7D3	S26361-F5573-L200 S26361-F5573-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-1.8TB(10krpm)	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP	PY-SH181D6 PYBSH181D6	S26361-F5730-L118 S26361-F5730-E118	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-1.8TB(10krpm)	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP	PY-SH181D PYBSH181D	S26361-F5544-L118 S26361-F5544-E118	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-1.8TB(10krpm)	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP	PY-SH181D3 PYBSH181D3	S26361-F5543-L118 S26361-F5543-E118	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-1.2TB(10krpm)	HD SAS 12G 1.2TB 10K 512e HOT PL 2.5' EP	PY-SH121D6 PYBSH121D6	S26361-F5730-L112 S26361-F5730-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-1.2TB(10krpm)	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP	PY-SH121E6 PYBSH121E6	S26361-F5729-L112 S26361-F5729-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-1.2TB(10krpm)	HD SAS 12G 1.2TB 10K 512e HOT PL 2.5' EP	PY-SH121D5 PYBSH121D5	S26361-F5544-L112 S26361-F5544-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-1.2TB(10krpm)	HD SAS 12G 1.2TB 10K 512e HOT PL 2.5' EP	PY-SH121D3 PYBSH121D3	S26361-F5543-L112 S26361-F5543-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-1.2TB(10krpm)	n/a	PY-SH121C7 PYBSH121C7	S26361-F5537-L112 S26361-F5537-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-1.2TB(10krpm)	HD SAS 6G 1.2TB 10K HOT PL 2.5" EP	PY-SH121C6 PYBSH121C6	S26361-F3818-L112 S26361-F3818-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0

•HDD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵2.5インチSAS HDD-1.2TB(10krpm)	n/a	PY-SH121C5 PYBSH121C5	S26361-F5247-L112 S26361-F5247-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-1.2TB(10krpm)	n/a	PY-SH121C2 PYBSH121C2	S26361-F4568-L112 S26361-F4568-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-1.2TB(10krpm)	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP	PY-SH121E3 PYBSH121E3	S26361-F5550-L112 S26361-F5550-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-1.2TB(10krpm)	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP	PY-SH121E PYBSH121E	S26361-F5551-L112 S26361-F5551-E112	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチニアラインSAS HDD-1TB(7.2krpm)	HD SAS 12G 1TB 7.2K 512n HOT PL 2.5' BC	PY-CH1T7E3 PYBCH1T7E3	S26361-F5600-L100 S26361-F5600-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチ ニアラインSAS HDD-1TB(7.2krpm)	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC	PY-CH1T7D2 PYBCH1T7D2	S26361-F5572-L100 S26361-F5572-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチ ニアラインSAS HDD-1TB(7.2krpm)	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC	PY-CH1T7D3 PYBCH1T7D3	S26361-F5573-L100 S26361-F5573-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチ ニアライン SAS HDD-1TB(7.2krpm)	HD SAS 6G 1TB 7.2K HOT PL 2.5' BC	PY-CH1T7C7 PYBCH1T7C7	S26361-F5559-L100 S26361-F5559-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチ ニアライン SAS HDD-1TB(7.2krpm)	HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	PY-CH1T7C3 PYBCH1T7C3	S26361-F3817-L100 S26361-F3817-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチ ニアライン SAS HDD-1TB(7.2krpm)	HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	PY-CH1T7C PYBCH1T7C	S26361-F5228-L100 S26361-F5228-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-900GB(10krpm)	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP	PY-SH901E6 PYBSH901E6	S26361-F5729-L190 S26361-F5729-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-900GB(10krpm)	HD SAS 12G 900GB 10K 512e HOT PL 2.5' EP	PY-SH901D6 PYBSH901D6	S26361-F5730-L190 S26361-F5730-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5

•HDD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵2.5インチSAS HDD-900GB(15krpm)	HD SAS 12G 900GB 15K HOT PL 2.5' EP	PY-SH905E3 PYBSH905E3	S26361-F5531-L590 S26361-F5531-E590	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-900GB(10krpm)	HD SAS 12G 900GB 10K 512e HOT PL 2.5' EP	PY-SH901D5 PYBSH901D5	S26361-F5544-L190 S26361-F5544-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-900GB(10krpm)	HD SAS 12G 900GB 10K 512e HOT PL 2.5' EP	PY-SH901D3 PYBSH901D3	S26361-F5543-L190 S26361-F5543-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-900GB(10krpm)	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP	PY-SH901E3 PYBSH901E3	S26361-F5550-L190 S26361-F5550-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-900GB(10krpm)	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP	PY-SH901E PYBSH901E	S26361-F5551-L190 S26361-F5551-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-900GB(10krpm)	n/a	PY-SH901C7 PYBSH901C7	S26361-F5537-L190 S26361-F5537-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-900GB(10krpm)	HD SAS 6G 900GB 10K HOT PL 2.5" EP	PY-SH901C6 PYBSH901C6	S26361-F3818-L190 S26361-F3818-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-900GB(10krpm)	HD SAS 6G 900GB 10K HOT PL 2.5" EP	PY-SH901C5 PYBSH901C5	S26361-F5247-L190 S26361-F5247-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-900GB(10krpm)	n/a	PY-SH901C2 PYBSH901C2	S26361-F4568-L190 S26361-F4568-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-900GB(10krpm)	n/a	PY-SH901C PYBSH901C	S26361-F4482-L190 S26361-F4482-E190	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(15krpm)	HD SAS 12G 600GB 15K HOT PL 2.5' EP	PY-SH605E5 PYBSH605E5	S26361-F5567-L560 S26361-F5567-E560	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(15krpm)	HD SAS 12G 600GB 15K HOT PL 2.5' EP	PY-SH605D3 PYBSH605D3	S26361-F5531-L560 S26361-F5531-E560	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	HD SAS 12G 600GB 10K 512e HOT PL 2.5' EP	PY-SH601D6 PYBSH601D6	S26361-F5730-L160 S26361-F5730-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0

•HDD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵2.5インチSAS HDD-600GB(15krpm)	HD SAS 12G 600GB 15K HOT PL 2.5' EP	PY-SH605E6 PYBSH605E6	S26361-F5727-L560 S26361-F5727-E560	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP	PY-SH601E6 PYBSH601E6	S26361-F5729-L160 S26361-F5729-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP	PY-SH601E6 PYBSH601E6	S26361-F5729-L160 S26361-F5729-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP	PY-SH601E7 PYBSH601E7	S26361-F5720-L160 S26361-F5720-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	HD SAS 12G 600GB 10K 512e HOT PL 2.5' EP	PY-SH601D5 PYBSH601D5	S26361-F5544-L160 S26361-F5544-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-600GB(10krpm)	HD SAS 12G 600GB 10K 512e HOT PL 2.5' EP	PY-SH601D3 PYBSH601D3	S26361-F5543-L160 S26361-F5543-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-600GB(10krpm)	n/a	PY-SH601DL PYBSH601DL	CA07408-G798 CA07408-H798	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-600GB(10krpm)	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP	PY-SH601E3 PYBSH601E3	S26361-F5550-L160 S26361-F5550-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP	PY-SH601E PYBSH601E	S26361-F5551-L160 S26361-F5551-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	n/a	PY-SH601C7 PYBSH601C7	S26361-F5537-L160 S26361-F5537-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	HD SAS 6G 600GB 10K HOT PL 2.5" EP	PY-SH601C6 PYBSH601C6	S26361-F3818-L160 S26361-F3818-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	HD SAS 6G 600GB 10K HOT PL 2.5" EP	PY-SH601C5 PYBSH601C5	S26361-F5247-L160 S26361-F5247-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0

•HDD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵2.5インチSAS HDD-600GB(10krpm)	n/a	PY-SH601C3 PYBSH601C3	S26361-F5227-L160 S26361-F5227-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	n/a	PY-SH601C2 PYBSH601C2	S26361-F4568-L160 S26361-F4568-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-600GB(10krpm)	n/a	PY-SH601C PYBSH601C	S26361-F4482-L160 S26361-F4482-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチ ニアライン SAS HDD-500GB(7.2krpm)	n/a	PY-CH507C7 PYBCH507C7	CA06888-G491 S26361-F5559-E500	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチ ニアライン SAS HDD-500GB(7.2krpm)	n/a	PY-CH507C3 PYBCH507C3	CA06888-G493 S26361-F3817-E500	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチ ニアライン SAS HDD-500GB(7.2krpm)	n/a	PY-CH507C PYBCH507C	S26361-F5228-L500 S26361-F5228-E500	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチ ニアライン SAS HDD-500GB(7.2krpm)	n/a	PY-CH502C PYBCH502C	CA06888-G492 S26361-F5555-E500	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-450GB(15krpm)	HD SAS 12G 450GB 15K HOT PL 2.5' EP	PY-SH455E5 PYBSH455E5	S26361-F5567-L545 S26361-F5567-E545	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-450GB(15krpm)	HD SAS 12G 450GB 15K HOT PL 2.5' EP	PY-SH455D3 PYBSH455D3	S26361-F5531-L545 S26361-F5531-E545	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-450GB(15krpm)	n/a	PY-SH455DL PYBSH455DL	CA07408-G639 CA07408-E639	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-450GB(10krpm)	n/a	PY-SH451D3 PYBSH451D3	S26361-F5543-L145 S26361-F5543-E145	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5
内蔵2.5インチSAS HDD-450GB(10krpm)	n/a	PY-SH451C7 PYBSH451C7	S26361-F5537-L145 S26361-F5537-E145	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-450GB(10krpm)	n/a	PY-SH451C6 PYBSH451C6	S26361-F3818-L145 S26361-F3818-E145	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0

•HDD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵2.5インチSAS HDD-450GB(10krpm)	n/a	PY-SH451C5 PYBSH451C5	S26361-F5247-L145 S26361-F5247-E145	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-450GB(10krpm)	n/a	PY-SH451C3 PYBSH451C3	S26361-F5227-L145 S26361-F5227-E145	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-450GB(10krpm)	n/a	PY-SH451C2 PYBSH451C2	S26361-F4568-L145 S26361-F4568-E145	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-450GB(10krpm)	n/a	PY-SH451C PYBSH451C	S26361-F4482-L145 S26361-F4482-E145	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(15krpm)	HD SAS 12G 300GB 15K HOT PL 2.5' EP	PY-SH305E6 PYBSH305E6	S26361-F5727-L530 S26361-F5727-E530	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP	PY-SH301E6 PYBSH301E6	S26361-F5729-L130 S26361-F5729-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP	PY-SH301E6 PYBSH301E6	S26361-F5729-L130 S26361-F5729-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(15krpm)	HD SAS 12G 300GB 15K HOT PL 2.5' EP	PY-SH305E5 PYBSH305E5	S26361-F5567-L530 S26361-F5567-E530	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(15krpm)	HD SAS 12G 300GB 15K HOT PL 2.5' EP	PY-SH305D3 PYBSH305D3	S26361-F5531-L530 S26361-F5531-E530	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	n/a	PY-SH303E PYBSH303E	CA06888-G470 S26361-F5554-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	n/a	PY-SH301E3 PYBSH301E3	CA06888-G468 S26361-F5550-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	n/a	PY-SH301E PYBSH301E	CA06888-G467 S26361-F5551-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(15krpm)	n/a	PY-SH305C6 PYBSH305C6	S26361-F3818-L530 S26361-F3818-E530	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0

•HDD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases
Japan Only	Outside Japan	Japan Only	Outside Japan		
内蔵2.5インチSAS HDD-300GB(15krpm)	n/a	PY-SH305C2 PYBSH305C2	S26361-F4568-L530 S26361-F4568-E530	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(15krpm)	HD SAS 6G 300GB 15K HOT PL 2.5" EP	PY-SH305C PYBSH305C	S26361-F4482-L530 S26361-F4482-E530	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	n/a	PY-SH301C7 PYBSH301C7	S26361-F5537-L130 S26361-F5537-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	n/a	PY-SH301C6 PYBSH301C6	S26361-F3818-L130 S26361-F3818-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	n/a	PY-SH301C5 PYBSH301C5	S26361-F5247-L130 S26361-F5247-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	n/a	PY-SH301C3 PYBSH301C3	S26361-F5227-L130 S26361-F5227-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	n/a	PY-SH301C2 PYBSH301C2	S26361-F4568-L130 S26361-F4568-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	n/a	PY-SH301C PYBSH301C	S26361-F4482-L130 S26361-F4482-E130	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0
内蔵2.5インチSAS HDD-300GB(10krpm)	n/a	PY-SH301CL PYBSH301CL	CA07408-G199 CA07408-H199	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケーシング付き SAS SSD-7.68TB (R1)	SSD SAS 12G 7.68TB Read- Int. 3.5" H-P EP	PY-TS76NNF PYBTS76NNF	S26361-F5869-L768 S26361-F5869-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SAS SSD-7.68TB (R1)	SSD SAS 12G 7.68TB Read- Int. 3.5" H-P EP	PY-TS76NNE PYBTS76NNE	PY-TS76NNE PYBTS76NNE	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-7.68TB	SSD SATA 6G 7.68TB Read- Int. 3.5" H-P EP	PY-TS76NM7 PYBTS76NM7	S26361-F5782-L768 S26361-F5782-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-7.68TB	SSD SAS 12G 7.68TB Read- Int. 3.5" H-P EP	PY-TS76NNC PYBTS76NNC	S26361-F5810-L768 S26361-F5810-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-7.68TB	SSD SAS 12G 7.68TB Read- Int. 3.5" H-P EP	PY-TS76NNA PYBTS76NNA	S26361-F5714-L768 S26361-F5714-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-7.68TB	n/a	PY-TS76NN8 PYBTS76NN8	S26361-F5668-L768 S26361-F5668-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-7.68TB	SSD SATA 6G 7.68TB Read- Int. 3.5" H-P EP	PY-TS76NM6 PYBTS76NM6	S26361-F5700-L768 S26361-F5700-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class B: 5,000- 10,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SAS SSD-3.84TB (R1)	SSD SAS 12G 3.84TB Read- Int. 3.5" H-P EP	PY-TS38NNF PYBTS38NNF	S26361-F5869-L384 S26361-F5869-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SAS SSD-3.84TB (R1)	SSD SAS 12G 3.84TB Read- Int. 3.5" H-P EP	PY-TS38NNE PYBTS38NNE	PY-TS38NNE PYBTS38NNE	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-3.84TB	SSD SATA 6G 3.84TB Read- Int. 3.5" H-P EP	PY-TS38NM7 PYBTS38NM7	S26361-F5782-L384 S26361-F5782-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-3.84TB	SSD SATA 6G 3.84TB Mixed- Use 3.5" H-P EP	PY-TS38NK6 PYBTS38NK6	S26361-F5775-L384 S26361-F5775-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-3.84TB	SSD SAS 12G 3.84TB Read- Int. 3.5" H-P EP	PY-TS38NNC PYBTS38NNC	S26361-F5810-L384 S26361-F5810-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-3.84TB	n/a	PY-TS38NP4 PYBTS38NP4	S26361-F5612-L384 S26361-F5612-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケージ付き SSD-3.84TB	SSD SAS 12G 3.84TB Read- Int. 3.5" H-P EP	PY-TS38NNA PYBTS38NNA	S26361-F5714-L384 S26361-F5714-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class C >=3650 TBW
内蔵3.5インチケージ付き SSD-3.84TB	n/a	PY-TS38NN4 PYBTS38NN4	S26361-F5615-L384 S26361-F5615-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケージ付き SSD-3.84TB	SSD SAS 12G 3.84TB Read- Int. 3.5" H-P EP	PY-TS38NN8 PYBTS38NN8	S26361-F5668-L384 S26361-F5668-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケージ付き SSD-3.84TB	SSD SATA 6G 3.84TB Read- Int. 3.5" H-P EP	PY-TS38NM6 PYBTS38NM6	S26361-F5700-L384 S26361-F5700-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-3.84TB	SSD SATA 6G 3.84TB Mixed- Use 3.5" H-P EP	PY-TS38NK4 PYBTS38NK4	S26361-F5589-L384 S26361-F5589-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SAS SSD-3.2TB (MU)	SSD SAS 12G 3.2TB Mixed- Use 3.5" H-P EP	PY-TS32NPG PYBTS32NPG	S26361-F5867-L320 S26361-F5867-E320	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SAS SSD-3.2TB (MU)	SSD SAS 12G 3.2TB Mixed- Use 3.5" H-P EP	PY-TS32NPF PYBTS32NPF	PY-TS32NPF PYBTS32NPF	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-3.2TB	SSD SAS 12G 3.2TB Mixed- Use 3.5" H-P EP	PY-TS32NPC PYBTS32NPC	S26361-F5808-L320 S26361-F5808-E320	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-3.2TB	SSD SAS 12G 3.2TB Mixed- Use 3.5" H-P EP	PY-TS32NPA PYBTS32NPA	S26361-F5712-L320 S26361-F5712-E320	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-3.2TB	SSD SAS 12G 3.2TB Mixed- Use 3.5" H-P EP	PY-TS32NP8 PYBTS32NP8	S26361-F5662-L320 S26361-F5662-E320	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SAS SSD-1.92TB (RI)	SSD SAS 12G 1.92TB Read- Int. 3.5" H-P EP	PY-TS19NNF PYBTS19NNF	S26361-F5869-L192 S26361-F5869-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケージ付き SAS SSD-1.92TB (RI)	SSD SAS 12G 1.92TB Read- Int. 3.5" H-P EP	PY-TS19NNE PYBTS19NNE	PY-TS19NNE PYBTS19NNE	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケージ付き SSD-1.92TB	SSD SATA 6G 1.92TB Read- Int. 3.5" H-P EP	PY-TS19NM7 PYBTS19NM7	S26361-F5782-L192 S26361-F5782-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケージ付き SSD-1.92TB	SSD SATA 6G 1.92TB Mixed- Use 3.5" H-P EP	PY-TS19NK6 PYBTS19NK6	S26361-F5775-L192 S26361-F5775-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.92TB	SSD SAS 12G 1.92TB Read- Int. 3.5" H-P EP	PY-TS19NNC PYBTS19NNC	S26361-F5810-L192 S26361-F5810-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケージ付き SSD-1.92TB	SSD SATA 6G 1.92TB Mixed- Use 3.5" H-P EP	PY-TS19NK PYBTS19NK	S26361-F5587-L192 S26361-F5587-E192	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.92TB	SSD SATA 6G 1.92TB Mixed- Use 3.5" H-P EP	PY-TS19NK2 PYBTS19NK2	S26361-F5589-L192 S26361-F5589-E192	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.92TB	n/a	PY-TS19NP4 PYBTS19NP4	S26361-F5612-L192 S26361-F5612-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.92TB	SSD SAS 12G 1.92TB Read- Int. 3.5" H-P EP	PY-TS19NNA PYBTS19NNA	S26361-F5714-L192 S26361-F5714-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class C >=3650 TBW
内蔵3.5インチケージ付き SSD-1.92TB	n/a	PY-TS19NN4 PYBTS19NN4	S26361-F5615-L192 S26361-F5615-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケージ付き SSD-1.92TB	n/a	PY-TS19NN8 PYBTS19NN8	S26361-F5668-L192 S26361-F5668-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケージ付き SSD-1.92TB	SSD SATA 6G 1.92TB Read- Int. 3.5" H-P EP	PY-TS19NM6 PYBTS19NM6	S26361-F5700-L192 S26361-F5700-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケージ付き SSD-1.92TB	SSD SATA 6G 1.92TB Mixed- Use 3.5" H-P EP	PY-TS19NKC PYBTS19NKC	S26361-F5732-L192 S26361-F5732-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SAS SSD-1.6TB (WI)	SSD SAS 12G 1.6TB Write- Int. 3.5" H-P EP	PY-TS16NGA PYBTS16NGA	S26361-F5864-L160 S26361-F5864-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SAS SSD-1.6TB (MU)	SSD SAS 12G 1.6TB Mixed- Use 3.5" H-P EP	PY-TS16NPG PYBTS16NPG	S26361-F5867-L160 S26361-F5867-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SAS SSD-1.6TB (MU)	SSD SAS 12G 1.6TB Mixed- Use 3.5" H-P EP	PY-TS16NPF PYBTS16NPF	PY-TS16NPF PYBTS16NPF	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケージ付き SAS SSD-1.6TB (WI)	SSD SAS 12G 1.6TB Write- Int. 3.5" H-P EP	PY-TS16NG9 PYBTS16NG9	PY-TS16NG9 PYBTS16NG9	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.6TB	SSD SAS 12G 1.6TB Mixed- Use 3.5" H-P EP	PY-TS16NPC PYBTS16NPC	S26361-F5808-L160 S26361-F5808-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.6TB	n/a	PY-TS16NG4 PYBTS16NG4	S26361-F5607-L160 S26361-F5607-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.6TB	SSD SAS 12G 1.6TB Write- Int. 3.5" H-P EP	PY-TS16NG7 PYBTS16NG7	S26361-F5709-L160 S26361-F5709-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.6TB	n/a	PY-TD16NG4 PYBTD16NG4	S26361-F5320-L160 S26361-F5320-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.6TB	n/a	PY-TD16NG3 PYBTD16NG3	S26361-F5300-L160 S26361-F5300-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.6TB	n/a	PY-TD16NG2 PYBTD16NG2	S26361-F5315-L160 S26361-F5315-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.6TB	SSD SAS 12G 1.6TB Mixed- Use 3.5" H-P EP	PY-TS16NPA PYBTS16NPA	S26361-F5712-L160 S26361-F5712-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.6TB	SSD SAS 12G 1.6TB Mixed- Use 3.5" H-P EP	PY-TS16NP8 PYBTS16NP8	S26361-F5662-L160 S26361-F5662-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-1.6TB	SSD SATA 6G 1.6TB Read- Int. 3.5" H-P EP	PY-TS16NM2 PYBTS16NM2	S26361-F5629-L160 S26361-F5629-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケージ付き SSD-1.6TB	SSD SATA 6G 1.6TB Read- Int. 3.5" H-P EP	PY-TS16NM4 PYBTS16NM4	S26361-F5630-L160 S26361-F5630-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケージ付き SSD-1.2TB	n/a	PY-TS12NM2 PYBTS12NM2	S26361-F5629-L120 S26361-F5629-E120	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケージ付き SSD-1.2TB	n/a	PY-TS12NM4 PYBTS12NM4	S26361-F5630-L120 S26361-F5630-E120	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケージ付き SSD-1.2TB	n/a	PY-TS12NF4 PYBTS12NF4	S26361-F5593-L120 S26361-F5593-E120	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SAS SSD-960GB (RI)	SSD SAS 12G 960GB Read- Int. 3.5" H-P EP	PY-TS96NNF PYBTS96NNF	S26361-F5869-L960 S26361-F5869-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW
内蔵3.5インチケージ付き SAS SSD-960GB (RI)	SSD SAS 12G 960GB Read- Int. 3.5" H-P EP	PY-TS96NNE PYBTS96NNE	PY-TS96NNE PYBTS96NNE	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW
内蔵3.5インチケージ付き SSD-960GB	SSD SATA 6G 960GB Read- Int. 3.5" H-P EP	PY-TS96NM7 PYBTS96NM7	S26361-F5782-L960 S26361-F5782-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケージ付き SSD-960GB	SSD SATA 6G 960GB Mixed- Use 3.5" H-P EP	PY-TS96NK6 PYBTS96NK6	S26361-F5775-L960 S26361-F5775-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-960GB	SSD SAS 12G 960GB Read- Int. 3.5" H-P EP	PY-TS96NNC PYBTS96NNC	S26361-F5810-L960 S26361-F5810-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW
内蔵3.5インチケージ付き SSD-960GB	SSD SAS 12G 960GB Mixed- Use 3.5" H-P EP	PY-TS96NP4 PYBTS96NP4	S26361-F5612-L960 S26361-F5612-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケージ付き SSD-960GB	SSD SAS 12G 960GB Read- Int. 3.5" H-P EP	PY-TS96NNA PYBTS96NNA	S26361-F5714-L960 S26361-F5714-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class B >=1825 TBW
内蔵3.5インチケージ付き SSD-960GB	n/a	PY-TS96NN4 PYBTS96NN4	S26361-F5615-L960 S26361-F5615-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class A >=365 TBW
内蔵3.5インチケージ付き SSD-960GB	SSD SAS 12G 960GB Read- Int. 3.5" H-P EP	PY-TS96NN8 PYBTS96NN8	S26361-F5668-L960 S26361-F5668-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW
内蔵3.5インチケージ付き SSD-960GB	n/a	PY-TS96NM2 PYBTS96NM2	S26361-F5629-L960 S26361-F5629-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵3.5インチケージ付き SSD-960GB	n/a	PY-TS96NM4 PYBTS96NM4	S26361-F5630-L960 S26361-F5630-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵3.5インチケージ付き SSD-960GB	SSD SATA 6G 960GB Mixed- Use 3.5" H-P EP	PY-TS96NK PYBTS96NK	S26361-F5587-L960 S26361-F5587-E960	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class C >=3650 TBW

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケージ付き SSD-960GB	SSD SATA 6G 960GB Mixed- Use 3.5" H-P EP	PY-TS96NK2 PYBTS96NK2	S26361-F5589-L960 S26361-F5589-E960	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケージ付き SSD-960GB	SSD SATA 6G 960GB Read- Int. 3.5" H-P EP	PY-TS96NM6 PYBTS96NM6	S26361-F5700-L960 S26361-F5700-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class A >=365 TBW
内蔵3.5インチケージ付き SSD-960GB	SSD SATA 6G 960GB Mixed- Use 3.5" H-P EP	PY-TS96NKC PYBTS96NKC	S26361-F5732-L960 S26361-F5732-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケージ付き SAS SSD-800GB (MU)	SSD SAS 12G 800GB Mixed- Use 3.5" H-P EP	PY-TS80NPG PYBTS80NPG	S26361-F5867-L800 S26361-F5867-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class C >=3650 TBW
内蔵3.5インチケージ付き SAS SSD-800GB (WI)	SSD SAS 12G 800GB Write- Int. 3.5" H-P EP	PY-TS80NGA PYBTS80NGA	S26361-F5864-L800 S26361-F5864-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SAS SSD-800GB (MU)	SSD SAS 12G 800GB Mixed- Use 3.5" H-P EP	PY-TS80NPF PYBTS80NPF	PY-TS80NPF PYBTS80NPF	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class C >=3650 TBW
内蔵3.5インチケージ付き SAS SSD-800GB (WI)	SSD SAS 12G 800GB Write- Int. 3.5" H-P EP	PY-TS80NG9 PYBTS80NG9	PY-TS80NG9 PYBTS80NG9	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-800GB	SSD SAS 12G 800GB Mixed- Use 3.5" H-P EP	PY-TS80NPC PYBTS80NPC	S26361-F5808-L800 S26361-F5808-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケージ付き SSD-800GB	SSD SAS 12G 800GB Write- Int. 3.5" H-P EP	PY-TS80NG7 PYBTS80NG7	S26361-F5709-L800 S26361-F5709-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-800GB	SSD SAS 12G 800GB Write- Int. 3.5" H-P EP	PY-TS80NG4 PYBTS80NG4	S26361-F5607-L800 S26361-F5607-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-800GB	n/a	PY-TD80NG4 PYBTD80NG4	S26361-F5320-L800 S26361-F5320-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-800GB	n/a	PY-TD80NG3 PYBTD80NG3	S26361-F5300-L800 S26361-F5300-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケージ付き SSD-800GB	n/a	PY-TD80NG2 PYBTD80NG2	S26361-F5315-L800 S26361-F5315-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケーシング付き SSD-800GB	SSD SAS 12G 800GB Mixed- Use 3.5' H-P EP	PY-TS80NPA PYBTS80NPA	S26361-F5712-L800 S26361-F5712-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-800GB	SSD SAS 12G 800GB Mixed- Use 3.5' H-P EP	PY-TS80NP8 PYBTS80NP8	S26361-F5662-L800 S26361-F5662-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-800GB	n/a	PY-TS80NM2 PYBTS80NM2	S26361-F5629-L800 S26361-F5629-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-800GB	n/a	PY-TS80NM4 PYBTS80NM4	S26361-F5630-L800 S26361-F5630-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-800GB	n/a	PY-TD80NF4 PYBTD80NF4	S26361-F5289-L800 S26361-F5289-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-800GB	n/a	PY-TD80NF3 PYBTD80NF3	S26361-F5305-L800 S26361-F5305-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-800GB	n/a	PY-TD80NF2 PYBTD80NF2	S26361-F5319-L800 S26361-F5319-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-800GB	n/a	PY-TS80NF4 PYBTS80NF4	S26361-F5593-L800 S26361-F5593-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-480GB	SSD SATA 6G 480GB Read- Int. 3.5' H-P EP	PY-TS48NM7 PYBTS48NM7	S26361-F5782-L480 S26361-F5782-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-480GB	SSD SATA 6G 480GB Mixed- Use 3.5' H-P EP	PY-TS48NK6 PYBTS48NK6	S26361-F5775-L480 S26361-F5775-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-480GB	SSD SAS 12G 480GB Read- Int. 3.5' H-P EP	PY-TS48NNC PYBTS48NNC	S26361-F5810-L480 S26361-F5810-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-480GB	SSD SAS 12G 480GB Mixed- Use 3.5' H-P EP	PY-TS48NP4 PYBTS48NP4	S26361-F5612-L480 S26361-F5612-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケーシング付き SSD-480GB	SSD SAS 12G 480GB Read- Int. 3.5' H-P EP	PY-TS48NNA PYBTS48NNA	S26361-F5714-L480 S26361-F5714-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class A >=365 TBW

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケーシング付き SSD-480GB	n/a	PY-TS48NN4 PYBTS48NN4	S26361-F5615-L480 S26361-F5615-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-480GB	n/a	PY-TS48NN8 PYBTS48NN8	S26361-F5668-L480 S26361-F5668-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-480GB	n/a	PY-TS48NM2 PYBTS48NM2	S26361-F5629-L480 S26361-F5629-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-480GB	SSD SATA 6G 480GB Read- Int. 3.5" H-P EP	PY-TS48NM4 PYBTS48NM4	S26361-F5630-L480 S26361-F5630-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-480GB	n/a	PY-TS48NK PYBTS48NK	S26361-F5587-L480 S26361-F5587-E480	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケーシング付き SSD-480GB	n/a	PY-TS48NK2 PYBTS48NK2	S26361-F5589-L480 S26361-F5589-E480	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケーシング付き SSD-480GB	SSD SATA 6G 480GB Mixed- Use 3.5" H-P EP	PY-TS48NK3 PYBTS48NK3	S26361-F5672-L480 S26361-F5672-E480	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケーシング付き SSD-480GB	SSD SATA 6G 480GB Mixed- Use 3.5" H-P EP	PY-TS48NK4 PYBTS48NK4	S26361-F5673-L480 S26361-F5673-E480	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケーシング付き SSD-480GB	SSD SATA 6G 480GB Read- Int. 3.5" H-P EP	PY-TS48NM6 PYBTS48NM6	S26361-F5700-L480 S26361-F5700-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-480GB	SSD SATA 6G 480GB Mixed- Use 3.5" H-P EP	PY-TS48NKC PYBTS48NKC	S26361-F5732-L480 S26361-F5732-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケーシング付き SAS SSD-400GB (WI)	SSD SAS 12G 400GB Write- Int. 3.5" H-P EP	PY-TS40NGA PYBTS40NGA	S26361-F5864-L400 S26361-F5864-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SAS SSD-400GB (WI)	SSD SAS 12G 400GB Write- Int. 3.5" H-P EP	PY-TS40NG9 PYBTS40NG9	PY-TS40NG9 PYBTS40NG9	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-400GB	SSD SAS 12G 400GB Mixed- Use 3.5" H-P EP	PY-TS40NPC PYBTS40NPC	S26361-F5808-L400 S26361-F5808-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケーシング付き SSD-400GB	SSD SAS 12G 400GB Write- Int. 3.5' H-P EP	PY-TS40NG7 PYBTS40NG7	S26361-F5709-L400 S26361-F5709-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-400GB	n/a	PY-TS40NG4 PYBTS40NG4	S26361-F5607-L400 S26361-F5607-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-400GB	n/a	PY-TD40NG4 PYBTD40NG4	S26361-F5320-L400 S26361-F5320-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-400GB	n/a	PY-TD40NG3 PYBTD40NG3	S26361-F5300-L400 S26361-F5300-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-400GB	n/a	PY-TD40NG2 PYBTD40NG2	S26361-F5315-L400 S26361-F5315-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-400GB	SSD SAS 12G 400GB Mixed- Use 3.5' H-P EP	PY-TS40NPA PYBTS40NPA	S26361-F5712-L400 S26361-F5712-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class B >=1825 TBW
内蔵3.5インチケーシング付き SSD-400GB	SSD SAS 12G 400GB Mixed- Use 3.5' H-P EP	PY-TS40NP8 PYBTS40NP8	S26361-F5662-L400 S26361-F5662-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケーシング付き SSD-400GB	n/a	PY-TS40NF4 PYBTS40NF4	S26361-F5593-L400 S26361-F5593-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-400GB	n/a	PY-TD40NF4 PYBTD40NF4	S26361-F5289-L400 S26361-F5289-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-400GB	n/a	PY-TD40NF3 PYBTD40NF3	S26361-F5305-L400 S26361-F5305-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-400GB	n/a	PY-TD40NF2 PYBTD40NF2	S26361-F5319-L400 S26361-F5319-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵3.5インチケーシング付き SSD-240GB	SSD SATA 6G 240GB Read- Int. 3.5' H-P EP	PY-TS24NM7 PYBTS24NM7	S26361-F5782-L240 S26361-F5782-E240	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-240GB	SSD SATA 6G 240GB Mixed- Use 3.5' H-P EP	PY-TS24NK6 PYBTS24NK6	S26361-F5775-L240 S26361-F5775-E240	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケーシング付き SSD-240GB	n/a	PY-TS24NK PYBTS24NK	S26361-F5587-L240 S26361-F5589-E240	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-240GB	n/a	PY-TS24NK2 PYBTS24NK2	S26361-F5589-L240 S26361-F5589-E240	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-240GB	SSD SATA 6G 240GB Mixed- Use 3.5' H-P EP	PY-TS24NK3 PYBTS24NK3	S26361-F5672-L240 S26361-F5672-E240	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-240GB	SSD SATA 6G 240GB Mixed- Use 3.5' H-P EP	PY-TS24NK4 PYBTS24NK4	S26361-F5673-L240 S26361-F5673-E240	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-240GB	SSD SATA 6G 240GB Read- Int. 3.5' H-P EP	PY-TS24NM6 PYBTS24NM6	S26361-F5700-L240 S26361-F5700-E240	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-240GB	SSD SATA 6G 240GB Mixed- Use 3.5' H-P EP	PY-TS24NKC PYBTS24NKC	S26361-F5732-L240 S26361-F5732-E240	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching	Class D: 20,000- 30,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-200GB	n/a	PY-TD20NG4 PYBTD20NG4	S26361-F5320-L200 S26361-F5320-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-200GB	n/a	PY-TD20NG3 PYBTD20NG3	S26361-F5300-L200 S26361-F5300-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-200GB	n/a	PY-TD20NG2 PYBTD20NG2	S26361-F5315-L200 S26361-F5315-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-200GB	n/a	PY-TS20NF4 PYBTS20NF4	S26361-F5593-L200 S26361-F5593-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-200GB	n/a	PY-TD20NF4 PYBTD20NF4	S26361-F5289-L200 S26361-F5289-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-200GB	n/a	PY-TD20NF3 PYBTD20NF3	S26361-F5305-L200 S26361-F5305-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵3.5インチケーシング付き SSD-200GB	n/a	PY-TD20NF2 PYBTD20NF2	S26361-F5319-L200 S26361-F5319-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW

•SSD - 3.5inch(*1)

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵3.5インチケーシング付き SSD-120GB	n/a	PY-TS12NK PYBTS12NK	S26361-F5587-L120 S26361-F5587-E120	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-120GB	n/a	PY-TS12NK2 PYBTS12NK2	S26361-F5589-L120 S26361-F5589-E120	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵3.5インチケーシング付き SSD-100GB	n/a	PY-TD10NF4 PYBTD10NF4	S26361-F5289-L100 S26361-F5289-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケーシング付き SSD-100GB	n/a	PY-TD10NF3 PYBTD10NF3	S26361-F5305-L100 S26361-F5305-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW
内蔵3.5インチケーシング付き SSD-100GB	n/a	PY-TD10NF2 PYBTD10NF2	S26361-F5319-L100 S26361-F5319-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW

(*1) In VMware Compatibility Guide, some 3.5-inch disks are certified as 2.5-inch disk.

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチSSD-15.3TB	SSD SAS 12G 15.36TB Read-Int. 2.5' HP EP	PY-SS15NNA PYBSS15NNA	S26361-F5715-L153 S26361-F5715-E153	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチ SAS SSD-7.68TB (RI)	SSD SAS 12G 7.68TB Read-Int. 2.5" H-P EP	PY-SS76NNK PYBSS76NNK	S26361-F5870-L768 S26361-F5870-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチ SAS SSD-7.68TB (RI)	SSD SAS 12G 7.68TB Read-Int. 2.5" H-P EP	PY-SS76NNH PYBSS76NNH	PY-SS76NNH PYBSS76NNH	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-7.68TB	SSD SATA 6G 7.68TB Read-Int. 2.5" H-P EP	PY-SS76NM9 PYBSS76NM9	S26361-F5783-L768 S26361-F5783-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000-20,000 writes per second	Class D >=7300 TBW
内蔵2.5インチ SSD-7.68TB	SSD SAS 12G 7.68TB Read-Int. 2.5' H-P EP	PY-SS76NNC PYBSS76NNC	S26361-F5811-L768 S26361-F5811-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSSD-7.68TB	SSD SAS 12G 7.68TB Read-Int. 2.5' H-P EP	PY-SS76NNA PYBSS76NNA	S26361-F5715-L768 S26361-F5715-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSSD-7.68TB	n/a	PY-SS76NN8 PYBSS76NN8	S26361-F5670-L768 S26361-F5670-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSSD-7.68TB	SSD SATA 6G 7.68TB Read-Int. 2.5' H-P EP	PY-SS76NM6 PYBSS76NM6	S26361-F5701-L768 S26361-F5701-E768	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class B: 5,000-10,000 writes per second	Class D >=7300 TBW
内蔵2.5インチ SAS SSD-6.4TB (MU)	SSD SAS 12G 6.4TB Mixed-Use 2.5' H-P EP	PY-SS64NPJ PYBSS64NPJ	S26361-F5868-L640 S26361-F5868-E640	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチ SAS SSD-6.4TB (MU)	SSD SAS 12G 6.4TB Mixed-Use 2.5' H-P EP	PY-SS64NPF PYBSS64NPF	PY-SS64NPF PYBSS64NPF	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSSD-6.4TB	SSD SAS 12G 6.4TB Mixed-Use 2.5' H-P EP	PY-SS64NPA PYBSS64NPA	S26361-F5713-L640 S26361-F5713-E640	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチ SAS SSD-3.84TB (RI)	SSD SAS 12G 3.84TB Read-Int. 2.5" H-P EP	PY-SS38NNK PYBSS38NNK	S26361-F5870-L384 S26361-F5870-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチ SAS SSD-3.84TB (RI)	SSD SAS 12G 3.84TB Read-Int. 2.5" H-P EP	PY-SS38NNH PYBSS38NNH	PY-SS38NNH PYBSS38NNH	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチ SSD-3.84TB	SSD SAS 12G 3.84TB Read-Int. 2.5' H-P EP	PY-SS38NNC PYBSS38NNC	S26361-F5811-L384 S26361-F5811-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-3.84TB	SSD SATA 6G 3.84TB Read-Int. 2.5' H-P EP	PY-SS38NM9 PYBSS38NM9	S26361-F5783-L384 S26361-F5783-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-3.84TB	SSD SATA 6G 3.84TB Mixed-Use 2.5' H-P EP	PY-SS38NKJ PYBSS38NKJ	S26361-F5776-L384 S26361-F5776-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-3.84TB	n/a	PY-SS38NP5 PYBSS38NP5 PY-SS38NP6 PYBSS38NP6	S26361-F5613-L384 S26361-F5613-E384 S26361-F5614-L384 S26361-F5614-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-3.84TB	n/a	PY-SS38NP5 PYBSS38NP5 PY-SS38NP6 PYBSS38NP6	S26361-F5613-L384 S26361-F5613-E384 S26361-F5614-L384 S26361-F5614-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-3.84TB	SSD SAS 12G 3.84TB Read-Int. 2.5' H-P EP	PY-SS38NNA PYBSS38NNA	S26361-F5715-L384 S26361-F5715-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class C >=3650 TBW
内蔵2.5インチSSD-3.84TB	n/a	PY-SS38NN5 PYBSS38NN5	S26361-F5616-L384 S26361-F5616-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-3.84TB	n/a	PY-SS38NN6 PYBSS38NN6	S26361-F5617-L384 S26361-F5617-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-3.84TB	SSD SAS 12G 3.84TB Read-Int. 2.5' H-P EP	PY-SS38NN7 PYBSS38NN7	S26361-F5669-L384 S26361-F5669-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-3.84TB	SSD SAS 12G 3.84TB Read-Int. 2.5' H-P EP	PY-SS38NN8 PYBSS38NN8	S26361-F5670-L384 S26361-F5670-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-3.84TB	SSD SATA 6G 3.84TB Mixed-Use 2.5' H-P EP	PY-SS38NK7 PYBSS38NK7	S26361-F5588-L384 S26361-F5588-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-3.84TB	SSD SATA 6G 3.84TB Read-Int. 2.5' H-P EP	PY-SS38NM6 PYBSS38NM6	S26361-F5701-L384 S26361-F5701-E384	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000-20,000 writes per second	Class D >=7300 TBW
内蔵2.5インチ SAS SSD-3.2TB (MU)	SSD SAS 12G 3.2TB Mixed-Use 2.5" H-P EP	PY-SS32NPJ PYBSS32NPJ	S26361-F5868-L320 S26361-F5868-E320	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチ SAS SSD-3.2TB (MU)	SSD SAS 12G 3.2TB Mixed-Use 2.5" H-P EP	PY-SS32NPF PYBSS32NPF	PY-SS32NPF PYBSS32NPF	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチ SSD-3.2TB	SSD SAS 12G 3.2TB Mixed-Use 2.5" H-P EP	PY-SS32NPC PYBSS32NPC	S26361-F5809-L320 S26361-F5809-E320	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-3.2TB	N/A	PYBSD32NPC	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-3.2TB	SSD SAS 12G 3.2TB Mixed-Use 2.5" H-P EP	PY-SS32NPA PYBSS32NPA	S26361-F5713-L320 S26361-F5713-E320	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSSD-3.2TB PRIMEFLEX(HCI) キャッシュ専用	N/A	PY-SD32NP8 PYBSD32NP8	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-3.2TB PRIMEFLEX(HCI) キャッシュ専用	N/A	PYBSD32NPA	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSSD-3.2TB	SSD SAS 12G 3.2TB Mixed-Use 2.5" H-P EP	PY-SS32NP7 PYBSS32NP7	S26361-F5665-L320 S26361-F5665-E320	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-3.2TB	SSD SAS 12G 3.2TB Mixed-Use 2.5" H-P EP	PY-SS32NP8 PYBSS32NP8	S26361-F5666-L320 S26361-F5666-E320	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチ SAS SSD-1.92TB (RI)	SSD SAS 12G 1.92TB Read-Int. 2.5" H-P EP	PY-SS19NNK PYBSS19NNK	S26361-F5870-L192 S26361-F5870-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチ SAS SSD-1.92TB (RI)	SSD SAS 12G 1.92TB Read-Int. 2.5" H-P EP	PY-SS19NNH PYBSS19NNH	PY-SS19NNH PYBSS19NNH	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-1.92TB	SSD SATA 6G 1.92TB Read-Int. 2.5" H-P EP	PY-SS19NM9 PYBSS19NM9	S26361-F5783-L192 S26361-F5783-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-1.92TB	SSD SATA 6G 1.92TB Mixed-Use 2.5" H-P EP	PY-SS19NKJ PYBSS19NKJ	S26361-F5776-L192 S26361-F5776-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチ SSD-1.92TB	SSD SAS 12G 1.92TB Read-Int. 2.5" H-P EP	PY-SS19NNC PYBSS19NNC	S26361-F5811-L192 S26361-F5811-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチSSD-1.92TB	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP	PY-SS19NKC PYBSS19NKC	S26361-F5733-L192 S26361-F5733-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.92TB	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP	PY-SS19NK PYBSS19NK	S26361-F5586-L192 S26361-F5586-E192	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.92TB	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP	PY-SS19NK2 PYBSS19NK2	S26361-F5588-L192 S26361-F5588-E192	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.92TB	n/a	PY-SS19NP5 PYBSS19NP5	S26361-F5613-L192 S26361-F5613-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.92TB	n/a	PY-SS19NP6 PYBSS19NP6	S26361-F5614-L192 S26361-F5614-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.92TB	SSD SAS 12G 1.92TB Read-Int. 2.5' H-P EP	PY-SS19NNA PYBSS19NNA	S26361-F5715-L192 S26361-F5715-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class C >=3650 TBW
内蔵2.5インチSSD-1.92TB	n/a	PY-SS19NN5 PYBSS19NN5	S26361-F5616-L192 S26361-F5616-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-1.92TB	n/a	PY-SS19NN6 PYBSS19NN6	S26361-F5617-L192 S26361-F5617-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-1.92TB	n/a	PY-SS19NN7 PYBSS19NN7	S26361-F5669-L192 S26361-F5669-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-1.92TB	n/a	PY-SS19NN8 PYBSS19NN8	S26361-F5670-L192 S26361-F5670-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-1.92TB	SSD SATA 6G 1.92TB Read-Int. 2.5' H-P EP	PY-SS19NM6 PYBSS19NM6	S26361-F5701-L192 S26361-F5701-E192	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSAS SSD-1.6TB (WI)	SSD SAS 12G 1.6TB Write-Int. 2.5" H-P EP	PY-SS16NGD PYBSS16NGD	S26361-F5865-L160 S26361-F5865-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチ SAS SSD-1.6TB (MU)	SSD SAS 12G 1.6TB Mixed-Use 2.5" H-P EP	PY-SS16NPJ PYBSS16NPJ	S26361-F5868-L160 S26361-F5868-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチ SAS SSD-1.6TB (MU)	SSD SAS 12G 1.6TB Mixed-Use 2.5" H-P EP	PY-SS16NPF PYBSS16NPF	PY-SS16NPF PYBSS16NPF	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSAS SSD-1.6TB (WI)	SSD SAS 12G 1.6TB Write-Int. 2.5" H-P EP	PY-SS16NGA PYBSS16NGA	PY-SS16NGA PYBSS16NGA	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチ SSD-1.6TB	SSD SAS 12G 1.6TB Mixed-Use 2.5" H-P EP	PY-SS16NPC PYBSS16NPC	S26361-F5809-L160 S26361-F5809-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB	N/A	PYBSD16NPC	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB	SSD SAS 12G 1.6TB Write-Int. 2.5" H-P EP	PY-SS16NG7 PYBSS16NG7	S26361-F5710-L160 S26361-F5710-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB	n/a	PY-SS16NG5 PYBSS16NG5	S26361-F5605-L160 S26361-F5605-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB	n/a	PY-SS16NG6 PYBSS16NG6	S26361-F5608-L160 S26361-F5608-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB	n/a	PY-SD16NG4 PYBSD16NG4	S26361-F5298-L160 S26361-F5298-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB	n/a	PY-SD16NG3 PYBSD16NG3	S26361-F5299-L160 S26361-F5299-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB	n/a	PY-SD16NG2 PYBSD16NG2	S26361-F5297-L160 S26361-F5297-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB	SSD SAS 12G 1.6TB Mixed-Use 2.5" H-P EP	PY-SS16NPA PYBSS16NPA	S26361-F5713-L160 S26361-F5713-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB PRIMEFLEX(HCI) キャッシュ専用	N/A	PY-SD16NP8 PYBSD16NP8	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB PRIMEFLEX(HCI) キャッシュ専用	N/A	PYBSD16NPA	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチSSD-1.6TB	SSD SAS 12G 1.6TB Mixed-Use 2.5' H-P EP	PY-SS16NP7 PYBSS16NP7	S26361-F5665-L160 S26361-F5665-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB	SSD SAS 12G 1.6TB Mixed-Use 2.5' H-P EP	PY-SS16NP8 PYBSS16NP8	S26361-F5666-L160 S26361-F5666-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-1.6TB	SSD SATA 6G 1.6TB Read-Int. 2.5' H-P EP	PY-SS16NM2 PYBSS16NM2	S26361-F5631-L160 S26361-F5631-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000-20,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-1.6TB	SSD SATA 6G 1.6TB Read-Int. 2.5' H-P EP	PY-SS16NM4 PYBSS16NM4	S26361-F5632-L160 S26361-F5632-E160	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000-20,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-1.2TB	SSD SATA 6G 1.2TB Read-Int. 2.5' H-P EP	PY-SS12NM2 PYBSS12NM2	S26361-F5631-L120 S26361-F5631-E120	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000-20,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-1.2TB	SSD SATA 6G 1.2TB Read-Int. 2.5' H-P EP	PY-SS12NM4 PYBSS12NM4	S26361-F5632-L120 S26361-F5632-E120	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000-20,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-1.2TB	n/a	PY-SS12NF4 PYBSS12NF4	S26361-F5592-L120 S26361-F5592-E120	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチ SAS SSD-960GB (RI)	SSD SAS 12G 960GB Read-Int. 2.5" H-P EP	PY-SS96NNK PYBSS96NNK	S26361-F5870-L960 S26361-F5870-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Capacity	Class E: 30,000-100,000 writes per second	Class A >=365 TBW
内蔵2.5インチ SAS SSD-960GB (RI)	SSD SAS 12G 960GB Read-Int. 2.5' H-P EP	PY-SS96NNJ PYBSS96NNJ	PY-SS96NNJ PYBSS96NNJ	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Capacity	Class E: 30,000-100,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-960GB	SSD SATA 6G 960GB Read-Int. 2.5' H-P EP	PY-SS96NM9 PYBSS96NM9	S26361-F5783-L960 S26361-F5783-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-960GB	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP	PY-SS96NKJ PYBSS96NKJ	S26361-F5776-L960 S26361-F5776-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチ SSD-960GB	SSD SAS 12G 960GB Read-Int. 2.5' H-P EP	PY-SS96NNC PYBSS96NNC	S26361-F5811-L960 S26361-F5811-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000-100,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-960GB	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP	PY-SS96NKC PYBSS96NKC	S26361-F5733-L960 S26361-F5733-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class C >=3650 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチSSD-960GB	SSD SAS 12G 960GB Mixed-Use 2.5' H-P EP	PY-SS96NP5 PYBSS96NP5	S26361-F5613-L960 S26361-F5613-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-960GB	SSD SAS 12G 960GB Mixed-Use 2.5' H-P EP	PY-SS96NP6 PYBSS96NP6	S26361-F5614-L960 S26361-F5614-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-960GB	SSD SAS 12G 960GB Read-Int. 2.5' H-P EP	PY-SS96NNA PYBSS96NNA	S26361-F5715-L960 S26361-F5715-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class B >=1825 TBW
内蔵2.5インチSSD-960GB	n/a	PY-SS96NN5 PYBSS96NN5	S26361-F5616-L960 S26361-F5616-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000-30,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-960GB	n/a	PY-SS96NN6 PYBSS96NN6	S26361-F5617-L960 S26361-F5617-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000-30,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-960GB	SSD SAS 12G 960GB Read-Int. 2.5' H-P EP	PY-SS96NN7 PYBSS96NN7	S26361-F5669-L960 S26361-F5669-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000-100,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-960GB	SSD SAS 12G 960GB Read-Int. 2.5' H-P EP	PYBSS96NN8 PYBSS96NN8	S26361-F5670-L960 S26361-F5670-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000-100,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-960GB	SSD SATA 6G 960GB Read-Int. 2.5' H-P EP	PY-SS96NM2 PYBSS96NM2	S26361-F5631-L960 S26361-F5631-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000-20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-960GB	n/a	PY-SS96NM4 PYBSS96NM4	S26361-F5632-L960 S26361-F5632-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000-20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-960GB	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP	PY-SS96NK PYBSS96NK	S26361-F5586-L960 S26361-F5586-E960	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-960GB	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP	PY-SS96NK2 PYBSS96NK2	S26361-F5588-L960 S26361-F5588-E960	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-960GB	SSD SATA 6G 960GB Read-Int. 2.5' H-P EP	PY-SS96NM6 PYBSS96NM6	S26361-F5701-L960 S26361-F5701-E960	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000-30,000 writes per second	Class A >=365 TBW
内蔵2.5インチSAS SSD-800GB (WI)	SSD SAS 12G 800GB Write-Int. 2.5' H-P EP	PY-SS80NGD PYBSS80NGD	S26361-F5865-L800 S26361-F5865-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチ SAS SSD-800GB (MU)	SSD SAS 12G 800GB Mixed-Use 2.5" H-P EP	PY-SS80NPJ PYBSS80NPJ	S26361-F5868-L800 S26361-F5868-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class C >=3650 TBW
内蔵2.5インチ SAS SSD-800GB (MU)	SSD SAS 12G 800GB Mixed-Use 2.5" H-P EP	PY-SS80NPF PYBSS80NPF	PY-SS80NPF PYBSS80NPF	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class C >=3650 TBW
内蔵2.5インチSAS SSD-800GB (WI)	SSD SAS 12G 800GB Write-Int. 2.5" H-P EP	PY-SS80NGA PYBSS80NGA	PY-SS80NGA PYBSS80NGA	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチ SSD-800GB	SSD SAS 12G 800GB Mixed-Use 2.5" H-P EP	PY-SS80NPC PYBSS80NPC	S26361-F5809-L800 S26361-F5809-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-800GB	N/A	PYBSD80NPC	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-800GB	SSD SAS 12G 800GB Write-Int. 2.5" H-P EP	PY-SS80NG7 PYBSS80NG7	S26361-F5710-L800 S26361-F5710-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	SSD SAS 12G 800GB Write-Int. 2.5" H-P EP	PY-SS80NG5 PYBSS80NG5	S26361-F5605-L800 S26361-F5605-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	SSD SAS 12G 800GB Write-Int. 2.5" H-P EP	PY-SS80NG6 PYBSS80NG6	S26361-F5608-L800 S26361-F5608-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	n/a	PY-SD80NG4 PYBSD80NG4	S26361-F5298-L800 S26361-F5298-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	n/a	PY-SD80NG3 PYBSD80NG3	S26361-F5299-L800 S26361-F5299-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	n/a	PY-SD80NG2 PYBSD80NG2	S26361-F5297-L800 S26361-F5297-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	n/a	PY-SD80MG PYBSD80MG	S26361-F5301-L800 S26361-F5301-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	SSD SAS 12G 800GB Mixed-Use 2.5" H-P EP	PY-SS80NPA PYBSS80NPA	S26361-F5713-L800 S26361-F5713-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class C >=3650 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチSSD-800GB PRIMEFLEX(HCI) キャッシュ 専用	N/A	PY-SD80NP8 PYBSD80NP8	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-800GB PRIMEFLEX(HCI) キャッシュ 専用	N/A	PYBSD80NPA	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class C >=3650 TBW
内蔵2.5インチSSD-800GB	SSD SAS 12G 800GB Mixed- Use 2.5' H-P EP	PY-SS80NP7 PYBSS80NP7	S26361-F5665-L800 S26361-F5665-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-800GB	SSD SAS 12G 800GB Mixed- Use 2.5' H-P EP	PY-SS80NP8 PYBSS80NP8	S26361-F5666-L800 S26361-F5666-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-800GB	n/a	PY-SS80NM2 PYBSS80NM2	S26361-F5631-L800 S26361-F5631-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-800GB	SSD SATA 6G 800GB Read- Int. 2.5' H-P EP	PY-SS80NM4 PYBSS80NM4	S26361-F5632-L800 S26361-F5632-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-800GB	n/a	PY-SD80NF4 PYBSD80NF4	S26361-F3821-L800 S26361-F3821-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	n/a	PY-SD80NF3 PYBSD80NF3	S26361-F5304-L800 S26361-F5304-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	n/a	PY-SD80NF2 PYBSD80NF2	S26361-F5303-L800 S26361-F5303-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	n/a	PY-SD80MF PYBSD80MF	S26361-F5307-L800 S26361-F5307-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-800GB	n/a	PY-SS80NF4 PYBSS80NF4	S26361-F5592-L800 S26361-F5592-E800	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-480GB	SSD SATA 6G 480GB Read- Int. 2.5' H-P EP	PY-SS48NM9 PYBSS48NM9	S26361-F5783-L480 S26361-F5783-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-480GB	SSD SATA 6G 480GB Mixed- Use 2.5' H-P EP	PY-SS48NKJ PYBSS48NKJ	S26361-F5776-L480 S26361-F5776-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチ SSD-480GB	SSD SAS 12G 480GB Read-Int. 2.5' H-P EP	PY-SS48NNC PYBSS48NNC	S26361-F5811-L480 S26361-F5811-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000-100,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-480GB	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP	PY-SS48NKC PYBSS48NKC	S26361-F5733-L480 S26361-F5733-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-480GB	SSD SAS 12G 480GB Mixed-Use 2.5' H-P EP	PY-SS48NP5 PYBSS48NP5	S26361-F5613-L480 S26361-F5613-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-480GB	SSD SAS 12G 480GB Mixed-Use 2.5' H-P EP	PY-SS48NP6 PYBSS48NP6	S26361-F5614-L480 S26361-F5614-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-480GB	SSD SAS 12G 480GB Read-Int. 2.5' H-P EP	PY-SS48NNA PYBSS48NNA	S26361-F5715-L480 S26361-F5715-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class A >=365 TBW
内蔵2.5インチSSD-480GB	n/a	PY-SS48NN5 PYBSS48NN5	S26361-F5616-L480 S26361-F5616-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000-30,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-480GB	n/a	PY-SS48NN6 PYBSS48NN6	S26361-F5617-L480 S26361-F5617-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000-30,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-480GB	n/a	PY-SS48NN7 PYBSS48NN7	S26361-F5669-L480 S26361-F5669-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000-100,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-480GB	n/a	PY-SS48NN8 PYBSS48NN8	S26361-F5670-L480 S26361-F5670-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000-100,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-480GB	n/a	PY-SS48NM2 PYBSS48NM2	S26361-F5631-L480 S26361-F5631-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000-20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-480GB	SSD SATA 6G 480GB Read-Int. 2.5' H-P EP	PY-SS48NM4 PYBSS48NM4	S26361-F5632-L480 S26361-F5632-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000-20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-480GB	n/a	PY-SS48NK PYBSS48NK	S26361-F5586-L480 S26361-F5586-E480	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-480GB	n/a	PY-SS48NK2 PYBSS48NK2	S26361-F5588-L480 S26361-F5588-E480	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class B >=1825 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチSSD-480GB	SSD SATA 6G 480GB Mixed-Use 2.5" H-P EP	PY-SS48NK6 PYBSS48NK6	S26361-F5674-L480 S26361-F5674-E480	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000-20,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-480GB	SSD SATA 6G 480GB Mixed-Use 2.5" H-P EP	PY-SS48NK7 PYBSS48NK7	S26361-F5675-L480 S26361-F5675-E480	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000-20,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-480GB	SSD SATA 6G 480GB Read-Int. 2.5" H-P EP	PY-SS48NM6 PYBSS48NM6	S26361-F5701-L480 S26361-F5701-E480	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000-100,000 writes per second	Class A >=365 TBW
内蔵2.5インチSAS SSD-400GB (WI)	SSD SAS 12G 400GB Write-Int. 2.5" H-P EP	PY-SS40NGD PYBSS40NGD	S26361-F5865-L400 S26361-F5865-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSAS SSD-400GB (WI)	SSD SAS 12G 400GB Write-Int. 2.5" H-P EP	PY-SS40NGA PYBSS40NGA	PY-SS40NGA PYBSS40NGA	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチ SSD-400GB	SSD SAS 12G 400GB Mixed-Use 2.5" H-P EP	PY-SS40NPC PYBSS40NPC	S26361-F5809-L400 S26361-F5809-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチ SSD-400GB	N/A	PYBSD40NPC	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-400GB	SSD SAS 12G 400GB Write-Int. 2.5" H-P EP	PY-SS40NG7 PYBSS40NG7	S26361-F5710-L400 S26361-F5710-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class F: 100,000-350,000 Writes Per Second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SS40NG5 PYBSS40NG5	S26361-F5605-L400 S26361-F5605-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SS40NG6 PYBSS40NG6	S26361-F5608-L400 S26361-F5608-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SD40NG4 PYBSD40NG4	S26361-F5298-L400 S26361-F5298-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SD40NG3 PYBSD40NG3	S26361-F5299-L400 S26361-F5299-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SD40NG2 PYBSD40NG2	S26361-F5297-L400 S26361-F5297-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class D >=7300 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチSSD-400GB	n/a	PY-SD40MG PYBSD40MG	S26361-F5301-L400 S26361-F5301-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000- 30,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	SSD SAS 12G 400GB Mixed- Use 2.5' H-P EP	PY-SS40NPA PYBSS40NPA	S26361-F5713-L400 S26361-F5713-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class B >=1825 TBW
内蔵2.5インチSSD-400GB PRIMEFLEX(HCI) キャッシュ 専用	N/A	PY-SD40NP8 PYBSD40NP8	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-400GB PRIMEFLEX(HCI) キャッシュ 専用	N/A	PYBSD40NPA	N/A	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class F: 100,000- 350,000 Writes Per Second	Class B >=1825 TBW
内蔵2.5インチSSD-400GB	SSD SAS 12G 400GB Mixed- Use 2.5' H-P EP	PY-SS40NP7 PYBSS40NP7	S26361-F5665-L400 S26361-F5665-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-400GB	SSD SAS 12G 400GB Mixed- Use 2.5' H-P EP	PY-SS40NP8 PYBSS40NP8	S26361-F5666-L400 S26361-F5666-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SS40NF2 PYBSS40NF2	S26361-F5590-L400 S26361-F5590-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SS40NF4 PYBSS40NF4	S26361-F5592-L400 S26361-F5592-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SD40NF4 PYBSD40NF4	S26361-F3821-L400 S26361-F3821-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SD40NF3 PYBSD40NF3	S26361-F5304-L400 S26361-F5304-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SD40NF2 PYBSD40NF2	S26361-F5303-L400 S26361-F5303-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-400GB	n/a	PY-SD40MF PYBSD40MF	S26361-F5307-L400 S26361-F5307-E400	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class D >=7300 TBW
内蔵2.5インチSSD-240GB	SSD SATA 6G 240GB Read- Int. 2.5' H-P EP	PY-SS24NM9 PYBSS24NM9	S26361-F5783-L240 S26361-F5783-E240	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class A >=365 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチSSD-240GB	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP	PY-SS24NKJ PYBSS24NKJ	S26361-F5776-L240 S26361-F5776-E240	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-240GB	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP	PY-SS24NKC PYBSS24NKC	S26361-F5733-L240 S26361-F5733-E240	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching	Class D: 20,000-30,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-240GB	n/a	PY-SS24NK PYBSS24NK	S26361-F5586-L240 S26361-F5586-E240	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000-30,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-240GB	n/a	PY-SS24NK2 PYBSS24NK2	S26361-F5588-L240 S26361-F5588-E240	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000-30,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-240GB	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP	PY-SS24NK6 PYBSS24NK6	S26361-F5674-L240 S26361-F5674-E240	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000-20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-240GB	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP	PY-SS24NK7 PYBSS24NK7	S26361-F5675-L240 S26361-F5675-E240	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000-20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-240GB	SSD SATA 6G 240GB Read-Int. 2.5' H-P EP	PY-SS24NM6 PYBSS24NM6	S26361-F5701-L240 S26361-F5701-E240	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class D: 20,000-30,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-200GB	n/a	PY-SD20NG4 PYBSD20NG4	S26361-F5298-L200 S26361-F5298-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-200GB	n/a	PY-SD20NG3 PYBSD20NG3	S26361-F5299-L200 S26361-F5299-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-200GB	n/a	PY-SD20NG2 PYBSD20NG2	S26361-F5297-L200 S26361-F5297-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-200GB	n/a	PY-SD20MG PYBSD20MG	S26361-F5301-L200 S26361-F5301-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class D: 20,000-30,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-200GB	n/a	PY-SS20NF2 PYBSS20NF2	S26361-F5590-L200 S26361-F5590-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-200GB	n/a	PY-SS20NF4 PYBSS20NF4	S26361-F5592-L200 S26361-F5592-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000-100,000 writes per second	Class C >=3650 TBW

•SSD - 2.5inch

Product Name (品名)		Fujitsu Order Code		VMware Compatibility Guide link	Supported Releases	Tier	Performance Class	Endurance Class
Japan Only	Outside Japan	Japan Only	Outside Japan					
内蔵2.5インチSSD-200GB	n/a	PY-SD20NF4 PYBSD20NF4	S26361-F3821-L200 S26361-F3821-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-200GB	n/a	PY-SD20NF3 PYBSD20NF3	S26361-F5304-L200 S26361-F5304-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-200GB	n/a	PY-SD20NF2 PYBSD20NF2	S26361-F5303-L200 S26361-F5303-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-200GB	n/a	PY-SD20MF PYBSD20MF	S26361-F5307-L200 S26361-F5307-E200	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Caching Hybrid Caching All Flash Capacity	Class E: 30,000- 100,000 writes per second	Class C >=3650 TBW
内蔵2.5インチSSD-120GB	n/a	PY-SS12NK PYBSS12NK	S26361-F5586-L120 S26361-F5586-E120	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-120GB	n/a	PY-SS12NK2 PYBSS12NK2	S26361-F5588-L120 S26361-F5588-E120	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-120GB	n/a	PY-SS12MK PYBSS12MK	S26361-F5603-L120 S26361-F5603-E120	Link	vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class A >=365 TBW
内蔵2.5インチSSD-100GB	n/a	PY-SD10NF4 PYBSD10NF4	S26361-F3821-L100 S26361-F3821-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-100GB	n/a	PY-SD10NF3 PYBSD10NF3	S26361-F5304-L100 S26361-F5304-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-100GB	n/a	PY-SD10NF2 PYBSD10NF2	S26361-F5303-L100 S26361-F5303-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW
内蔵2.5インチSSD-100GB	n/a	PY-SD10MF PYBSD10MF	S26361-F5307-L100 S26361-F5307-E100	Link	vSAN 7.0.x vSAN 6.7.x vSAN 6.6.x vSAN 6.5 vSAN 6.2 vSAN 6.1 vSAN 6.0	Hybrid Caching All Flash Capacity	Class C: 10,000- 20,000 writes per second	Class B >=1825 TBW

※VMware*

Product Name (品名)		Fujitsu Order code		VMware Compatibility Guide link	Form Factor	Supported Releases	Firmware Version	Supported Driver Version										Tier	Performance Class	Endurance Class			
Japan Only	Outside Japan	Japan Only	Outside Japan					ESXi 6.5 U1 / vSAN 6.6.1	ESXi 6.5 U2 / vSAN 6.6.1 U2	ESXi 6.5 U3 / vSAN 6.6.1 U3	ESXi 6.7 / vSAN 6.7	ESXi 6.7 U1 / vSAN 6.7 U1	ESXi 6.7 U2 / vSAN 6.7 U2	ESXi 6.7 U3 / vSAN 6.7 U3	ESXi 7.0 / vSAN 7.0	ESXi 7.0 U1 / vSAN 7.0 U1	ESXi 7.0 U2 / vSAN 7.0 U2						
内蔵2.5インチPCIe SSD-750GB	Intel® Optane™ SSD DC P4800X Series SSDPE1K750GA (750 GB, 2.5" U.2)	PV4800PF / PV4800PF	S28361-F5719-L750 / S28361-F5719-E750	link	U.2	vSAN 7.0 b	E2010485	-	-	-	-	-	-	-	-	-	-	-	-	All Flash Caching All Flash Capacity	Class F 100,000+ writes per second	Class D → 7300 TBW	
							vSAN 6.7 U3 / vSAN 6.6.1 U3	E2010485	-	-	2.0.0.1146	-	-	-	2.0.0.1146	-	-	-	-				-
							vSAN 6.7 U2 / vSAN 6.7 U1 / vSAN 6.6.1 U2	E2010435	-	1.4.0.1016 / 1.7.0.1000	-	-	1.7.0.1000 / 1.4.0.1016	1.7.0.1000 / 1.4.0.1016	1.7.0.1000	-	-	-	-				-
PCIe SSD-750GB	Intel® Optane™ SSD DC P4800X Series SSDPE1K750GA (750 GB, HHL-L)	PV4800PE / PV4800PE	S28361-F5687-L750 / S28361-F5687-E750	link	HHL	vSAN 7.0 b	E2010485	-	-	-	-	-	-	-	-	-	-	-	-	All Flash Caching All Flash Capacity	Class F 100,000+ writes per second	Class D → 7300 TBW	
							vSAN 6.7 U3 / vSAN 6.6.1 U3	E2010485	-	-	2.0.0.1146	-	-	-	2.0.0.1146	-	-	-	-				-
							vSAN 6.7 U2 / vSAN 6.7 U1 / vSAN 6.6.1 U2	E2010435	1.4.0.1016 / 1.7.0.1000	1.4.0.1016 / 1.7.0.1000	-	1.7.0.1000 / 1.4.0.1016	1.7.0.1000 / 1.4.0.1016	1.7.0.1000	1.7.0.1000	-	-	-	-				-
内蔵2.5インチPCIe SSD-500GB	Intel® SSD DC P4501 Series SSDPE7KX500G7 (500 GB, 2.5" U.2)	PV4500PE / PV4500PE	S28361-F5648-L500 / S28361-F5648-E500	link	U.2	vSAN 6.7 a / vSAN 6.6.1 U3 / vSAN 6.6.1	ODV10101	1.4.0.1016 / 1.7.0.1000	1.4.0.1016 / 1.7.0.1000	-	1.7.0.1000 / 1.4.0.1016	1.7.0.1000 / 1.4.0.1016	1.7.0.1000 / 1.4.0.1016	1.7.0.1000	-	-	-	-	-	All Flash Capacity	Class C 10,000-20,000 writes per second	Class A → 365 TBW	
							vSAN 7.0 b	E2010485	-	-	-	-	-	-	-	-	-	-	-				-
							vSAN 6.7 U3 / vSAN 6.6.1 U3 / vSAN 6.6.1	E2010435	1.4.0.1016 / 1.7.0.1000	1.4.0.1016 / 1.7.0.1000	-	1.7.0.1000 / 1.4.0.1016	1.7.0.1000 / 1.4.0.1016	1.7.0.1000	1.7.0.1000	-	-	-	-				-
PCIe SSD-375GB	Intel® Optane™ SSD DC P4800X Series SSDPE1K375GA (375 GB, AD)	PV4800PE / PV4800PE	S28361-F5687-L375 / S28361-F5687-E375	link	HHL	vSAN 7.0 b	E2010485	-	-	-	-	-	-	-	-	-	-	-	-	All Flash Caching All Flash Capacity	Class F 100,000+ writes per second	Class D → 7300 TBW	
							vSAN 6.7 U3 / vSAN 6.6.1 U3	E2010485	-	-	2.0.0.1146	-	-	-	2.0.0.1146	-	-	-	-				-
							vSAN 6.7 U2 / vSAN 6.6.1 U2	E2010435	1.4.0.1016 / 1.7.0.1000	1.4.0.1016 / 1.7.0.1000	-	1.7.0.1000 / 1.4.0.1016	1.7.0.1000 / 1.4.0.1016	1.7.0.1000	1.7.0.1000	-	-	-	-				-

(*1) Not everything in VCG is available, only those in this document are supported.

Copyright and Trademarks Copyright © 2014-2021 Fujitsu Limited.
 VMware and VMware product names are trademarks or registered trademarks of VMware, Inc. in the United States and/or other countries.
 All rights reserved. Delivery subject to availability, right of technical modifications reserved.
 Support information that is described in this document is the information at the time the document issue date.
 If VMware's support range has been changed, you might also change forced to support range as Fujitsu. Please note.
 Exportation/release of this product and related documentation may require necessary procedures in accordance with the regulations of your resident country and/or US export control laws.